

INDEX TO VOLUME LXI *

* Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909-1966). xvi + 1108 pages. Price: \$40.00. Available from: Stechert-Hafner Service Agency, 31 E. 10th St., New York, N. Y. 10003.

The Index for Volume 61 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Achlya hypogyna—an aggregate, or a polymorphic species? 1002
- Actinomycetes
Cellulolytic activity 120
- Adiaspiromycosis (= Haplomycosis); review 1181
- Aflatoxin 651
- Agar. See media
- Agnihotri, V. P. Production and germination of appressoria in Pythium irregulare 967
- Ahmadjian, Vernon. [Review of] The lichens of Long Island, New York: a vegetational and floristic analysis 209
- AIBS national biological congress, notice 217
- Ainsworth, G. C., and A. S. Sussman (eds.). The fungi, an advanced treatise, Vol. III. The fungal population; review 656
- Airborne spores. See Spore, airborne
- Ajello, Libero. [Review of] Adiaspiromycosis (= Haplomycosis)
- Akai, Shigeyasu. See Ishida and Akai 382
- Alaska
Homobasidiomycetes 840
- Alcohol effect
Mucorales 895
- Aleuriospore 418
- Alexopoulos, Constantine J. See Dillon and Alexopoulos 997
- . See Gray and Alexopoulos 847
- . The experimental approach to the taxonomy of the Myxomycetes 219
- Amylase production 1171
- Animals
birds 833
Bufo 132
Certhia familiaria 833
Chelydra 474
Chlorura chlorura 833
Contopus sordidulus 833
Dendroica auduboni 833
Hyla 132
Junco oreganus 833
Mephitis 870
Parus gambeli 833
Passerina amoena 833
Pseudemys 474
Sphyrapicus varius 833
Spinus pinus 833
Spizella passerina 833
Stellula calliope 833
Troglodytes aedon 833
Turdus migratorius 833
turtle 473
Wilsonia pusilla 833
- Annual review of microbiology. Vol. 22; review 213
- Annual review of phytopathology. Vol. 6; review 213
- Antarctic
yeasts 748
- Anthraxnose 1124
- Anthraquinone pigments from Helminthosporium oryzae 661
- Anthrophyllic fungi 545
- Antimicrobial agents and chemotherapy. 1967; citation 214
- Aphanoplasmodium 223

INDEX TO VOLUME LXI *

* Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909-1966). xvi + 1108 pages. Price: \$40.00. Available from: Stechert-Hafner Service Agency, 31 E. 10th St., New York, N. Y. 10003.

The Index for Volume 61 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Achlya hypogyna—an aggregate, or a polymorphic species? 1002
- Actinomycetes
Cellulolytic activity 120
- Adiaspiromycosis (= Haplomycosis); review 1181
- Aflatoxin 651
- Agar. See media
- Agnihotri, V. P. Production and germination of appressoria in *Pythium irregulare* 967
- Ahmadjian, Vernon. [Review of] The lichens of Long Island, New York: a vegetational and floristic analysis 209
- AIBS national biological congress, notice 217
- Ainsworth, G. C., and A. S. Sussman (eds.). The fungi, an advanced treatise, Vol. III. The fungal population; review 656
- Airborne spores. See Spore, airborne
- Ajello, Libero. [Review of] *Adiaspiromycosis* (= *Haplomycosis*)
- Akai, Shigeyasu. See Ishida and Akai 382
- Alaska
Homobasidiomycetes 840
- Alcohol effect
Mucorales 895
- Aleuriospore 418
- Alexopoulos, Constantine J. See Dillon and Alexopoulos 997
- . See Gray and Alexopoulos 847
- . The experimental approach to the taxonomy of the *Myxomycetes* 219
- Amylase production 1171
- Animals
birds 833
Bufo 132
Certhia familiaria 833
Chelydra 474
Chlorura chlorura 833
Contopus sordidulus 833
Dendroica auduboni 833
Hyla 132
Junco oreganus 833
Mephitis 870
Parus gambeli 833
Passerina amoena 833
Pseudemys 474
Sphyrapicus varius 833
Spinus pinus 833
Spizella passerina 833
Stellula calliope 833
Troglodytes aedon 833
Turdus migratorius 833
turtle 473
Wilsonia pusilla 833
- Annual review of microbiology. Vol. 22; review 213
- Annual review of phytopathology. Vol. 6; review 213
- Antarctic
yeasts 748
- Anthraxnose 1124
- Anthraquinone pigments from *Helminthosporium oryzae* 661
- Anthrophyllic fungi 545
- Antimicrobial agents and chemotherapy. 1967; citation 214
- Aphanoplasmodium* 223

- Appressoria
 Pythium 967
 Appressorium formation
 Colletotrichum 382
 Aquatic fungi of Iceland: some filamentous, eucarpic, and holocarpic species 496
 Aquatic hyphomycetes on wood in an estuary 177
 Arpin, Noël. Les caroténoïdes des Discomycètes: essai chimiotaxinomique; review 442
Arthrinium japonicum and notes on *Arthrinium kamschaticum* 187
 Art- und Rassenproblem bei Pilzen in taxonomischer morphologischer, cytologischer, physiologischer, biochemischer, und genetischer Sicht; review 1019
Aspergillus carneus aleuriospore cell wall ultrastructure 418
 Australian Pezizales in the herbarium of the Royal Botanic Gardens Kew: review 442
 Autoecious species of *Puccinia* and *Uromyces* on North American *Senecioneae* 340
 Autoecious species of *Puccinia* on North American *Eupatoria* 924
 Auxotrophic mutants of *Cochliobolus carbonum* 799
 Backus, M. P. See Mahoney et al. 264
 See Mason and Backus 1124
 Baker, Gladys E. See Kishimoto and Baker 537
Balansia claviceps in artificial culture 572
 Baniecki, John F., and H. E. Bloss. The basidial stage of *Phymatotrichum omnivorum* 1054
 Barnett, H. L. [Review of] Plant pathologist's pocketbook 1018
 Basidial cytology of *Exidia recisa* 415
 Basidial stage of *Phymatotrichum omnivorum* 1054
 Basidocarp development
 Pleurotus 1041
 Basidiomycetes
 Stephanocysts 915
 Baxter, J. W. See Cummins et al. 924
 Beaded endotrophic mycorrhiza of northern and southern red oak 408
 Behavior of diploid nucleus in *Scopelopsis dalbergiae* (Uredinales) 631
 Behavior of non-pigment-forming isolates of *Keratinomyces ajelloi* mated with *Arthroderma uncinatum* 1175
 Belsky, M. M. See Goldstein et al. 468
 Beneke, E. S. [Review of] Mycological studies honoring John N. Couch 845
 See Michalski and Beneke 1041
 Benjamin, Chester R. See Frederick et al. 1077
 See Pollack and Benjamin 187
 [Review of] Moississures toxiques dans l'alimentation 657
 Benson, B. W., and J. H. Grosklags. Nuclei of the genus *Emericellopsis* 718
 Berkson, Burton M., and Michael P. Britton. Cytological studies on the teliospore and teliospore germination in *Puccinia lobata* 981
 Bibliographie der Pflanzenschutz-Literatur (Bibliography of plant protection); citation 214
 Bibliotheca mycologica Vols. XI-XVI; citation 214
 Bigelow, Howard E. [Review of] North American species of *Gymnopilus* 1016
 See Howard and Bigelow 606
 Bigleaf maple 1085
 Bioautographic procedure for detection of thiamine metabolites by use of *Phycomyces blakesleeanus* 1168
 Biographies
 Duncan, Catherine Gross 27
 Mains, Edward B. 449
 Biology of a problematic marine fungus, *Dermocystidium* sp. II. Nutrition and respiration 468
 Biology of lichens; review 439
 Biology of the *Myxomycetes*; review 847
 Bistis, G. N. [Review of] Fundamentals of mycology 1180
 Blastocladales 422
 Bloss, H. E. See Baniecki and Bloss 1054
 Books briefly noted 213, 1018
 Books received 214
 Boullard, Bernard. Les mycorrhizes; review 440
 B-P-H; Botanico-Periodicum-Huntianum; review 654
 Brandsberg, John W. Fungi isolated from decomposing conifer litter 373
 Brazil
 Tremellales 77
 British Ascomycetes; review 442
 Britton, Michael P. See Berkson and Britton 981
 See Cummins et al. 924
 Brodo, Irwin M. The lichens of Long Island, New York: a vegetational and floristic analysis; review 209

- . (Review of) The biology of lichens 439
- Brown rot fungi
Sclerotinia 332
- Bryophytes
Sphagnum 506
- Buchheim, A. F. Günther. See Lawrence et al. 654
- Buckley, Patricia M., Thomas D. Wyllie, and James E. DeVay. Fine structure of conidia and conidium formation in *Verticillium albo-atrum* and *V. nigrescens* 240
- Burdsall, Harold H., Jr. See McKnight et al. 434
- . A new polypore from the eastern United States 647
- . Stephanocysts: unique structures in the Basidiomycetes 915
- Burnett, J. H.
Fundamentals of mycology: review 1180
- Cailleux, Roger. See Heim et al. 441
- Cain, Roy F., and E. Robena Luck-Allen. *Semidelitschia*, a new genus of the Sporormiaceae 580
- Calcium chloride effect
Eremascus 287
- Campbell, W. A., See Hendrix and Campbell 387, 639
- Canada
Homobasidiomycetes 840
Trichophyton 414
- Canham, Susan Carey. Taxonomy and morphology of *Hypocrea citrina* 315
- Capillitial formation in *Arcyria cinerea* 784
- Cappellini, R. A., and J. L. Peterson. Sporulation of *Gibberella zeae*. II. The effects of pH on macroconidium production 481
- Carbohydrate effect
Pythium 971
- Carbon effect
Pythium 973, 1096
- Carbon source effect
Crucibulum 609
Dermocystidium 470
Helminthosporium 664
Phallus 609
- Caroténoïdes des Discomycètes: essai chimiotaxinomique; review 442
- Casida, L. E., Jr. Industrial microbiology; review 659
- Cellulolytic activity of thermophilic fungi and actinomycetes 120
- Central American Pezizales. III. The genus *Phillipsia* 289
- Ceratiomyxales 230
- Child, J. J., G. DéFago, and H. R. Haskins. The influence of carbon and nitrogen nutrition on growth and sterol-induced sexuality of *Pythium* sp. PRL 2142 1096
- Cholesterol effect
Pythium 1098
- Chosak, R. See Goldstein et al. 468
- Christensen, Clyde M., and Henry H. Kaufmann. Grain storage, the role of fungi in quality loss; review 1020
- Christenson, John A. Cytology of albino *Peridermium harknessii* 398
- Chromatography
Streptomyces 140
- Chytridiomycetes 1021
- Chytrids 422
- Clary, R. See Pady et al. 87
- Clavariaceous sporophores in agar culture 997
- Clavarioid fungi 549
- Cleret, Françoise. See Locquin and Cleret 434
- Clifton, C. E. (ed.). Annual review of microbiology. Vol. 22; review 213
- Clonal subcultures of *Dictyuchus* 251
- Cole, Garry, T. R. Nag Raj, and W. Bryce Kendrick. A simple technique for time-lapse photomicrography of microfungi in plate culture 726
- Collins, R. P., and K. Kalnins. The occurrence of ergosterol in the fungus *Ceratocystis fagacearum* 645
- Comments on Szemere's "Die Unterirdischen Pilze des Karpatenbeckens" 170
- Commonwealth Mycological Institute. Plant pathologist's pocketbook; review 1018
- Conidium
Aspergillus 560
surface characteristics 560
Verticillium 240
- Conidium germination
Colletotrichum 382
- Conidium ontogeny in *Cacumisporium capitulatum* 52
- Conifer litter
fungi 373
- Cooke, John C. Morphology of *Chaetomium funicolum* 1060
- Cooke, Wm. Bridge. [Review of] *Festkrift til Professor Niels Fabritius Buchwald* 1182
- . The 1965 Illinois Foray 817
- Coprophilous fungi 99
- Didymium 635
- Semidelitschia 580
- Corn steep liquor effect
Eremascus 286

- Corner, E. J. H. [Review of] Genus *Clavulinopsis* in North America 446
 Corrections, *Mycologia* Vol. 59, 218;
 Vol. 60, 218
 Cotton boll-rot 987
 Cottonseed oil effect
 Agaricus 308
 Culberson, William Louis. Norstictic acid as a hymenial constituent of *Letharia* 731
 Cultural characteristics of the brown rot fungi (*Sclerotinia* spp.) 332
 Culture
 Balansia 572
 lignicolous marine fungi 174
 Pisolithus 195
 Poronia 853
 Sporotrichum 184
 Cummins, George B. See Hennen and Cummins 340
 —, M. P. Britton, and J. W. Baxter. The autoecious species of *Puccinia* on North American *Eupatoriae* 924
Curvularia coicis and the *Nodulosa* group of *Bipolaris* 1031
 Cutler, J. E., and F. E. Swatek. Pigment production by *Basidiobolus* in the presence of tyrosine 130
 Cytological studies on the teliospore and teliospore germination in *Puccinia lobata* 981
 Cytology
 Armillaria 873
 Emericellopsis 718
 Exidia 415
 Hypocrea 315
 Rhizoctonia 775
 Rhytisma 1085
 Scopellopsis 631
 Stakmania 823
 Cytology of albino *Peridermium harknessii* 398
 Daniels, Gilbert S. See Lawrence et al. 654
 Darlington, Arnold. Pocket encyclopedia of plant galls; review 1020
 DeFago, G. See Child et al 1096
 Denison, William C. Central American Pezizales. III. The genus *Phillipsia* 289
 Dennis R. W. G. British Ascomycetes; review 442
 Denigerate species 1021
 Developmental morphology of *Anthostoma gastrinum* 518
 Dick, M. W. *Achiya hypogyna*—an aggregate, or a polymorphic species? 1002
 Dickinson, C. H. See Hood and Dickinson 430
 Dillon, Mary Ann, and Constantine J. Alexopoulos. Clavariaceous sporophores in agar culture 997
 Discomycete 426
 Idaho 683
 Disease, man
 tinea nigra 545
 Dogma, Irineo J. Jr., and Frederick K. Sparrow. A hyperparasitic *Blytiumyces* 1149
 Dolezal, Helmut. See Lawrence et al. 654
 Dubin, Jesse, and John M. Staley. *Lophodermium* (*Davisomycella*) *ponderosae* 396
 Dulaney, Eugene L. [Review of] Industrial microbiology 659
 Duncan, Catherine Gross; biography 27
 Echinosteliaceae 230
 Eckblad, Finn-Egil. Genera of the operculate Discomycetes, a re-evaluation of their taxonomy, phylogeny, and nomenclature; review 442
 Ecology 1106
 Ectomycorrhizae formed by *Endogone lactiflua* with species of *Pinus* and *Pseudotsuga* 412
 Edwin Butterworth Mains 1890–1968; biography 449
 Effect of phenethyl alcohol on the morphology, growth, and metabolism of some *Mucorales* 894
 Effects of various lipids on growth of mycelium of *Agaricus bisporus* 305
 El-Ani, Arif S. The macroconidium appendage in *Microsporum gypsum* 511
 Electron microscopy. See Ultrastructure
 Ellis, J. J. An orange-yellow mutant of *Aspergillus parasiticus* produces aflatoxin 651
 —, and C. W. Hesseltine. Two new members of the *Mucorales* 863
 El-Tobshy, Zeineb M. See Sinclair and El-Tobshy 473
 England, Wayne H. Relation of age of two host fungi to development of the mycoparasite *Piptocephalis virginiana* 586
 Enzymatic activities during basidiocarp development of *Pleurotus ostreatus* 1041
 Enzymes of glucose catabolism pathways in *Colletotrichum* and *Gloeosporium* 902
 Ergosterol 645
 Errata. See Corrections

- Eslyn, W. E. . Catherine Gross Duncan (1908-1968) ; biography 27
- Esser, Karl. The influence of pH on rhythmic mycelial growth in *Podospora anserina* 1008
- Eucarpic fungi
Iceland 496
- Eupatoriace
Puccinia 924
- Evans, Raymond N., and Don C. Prusso. Spore dispersal by birds 832
- Experimental approach to the taxonomy of the Myxomycetes 219
- Farr, Marie L., and Flora G. Pollack. A new species of *Platypheltella* from Mexico 191
— See McKnight et al. 434
- Fassi, Bruno. See Peyronel et al. 410
- , Anna Fontana, and James M. Trappe. Ectomycorrhizae formed by *Endogone lactiflua* with species of *Pinus* and *Pseudotsuga* 412
- Feasibility of characterizing spore color in *Aspergilli* by reflectance spectrophotometry 1142
- Fegler, Ferdinand. Medizinische Mykologie in Praxis und Klinik (Medical mycology for the practitioner) ; review 208
- Fennell, Dorothy I. [Review of] The genus *Eupenicillium* Ludwig 207
- Fergus, C. L. The cellulolytic activity of thermophilic fungi and actinomycetes 120
— The production of amylase by some thermophilic fungi 1171
- Fermentation
lactic acid 945
- Festkrift til Professor Niels Faaborg Buchwald : review 1182
- Filer, T. H., Jr. New species of *Pteridiospora* 167
- Fine structure of conidia and conidium formation in *Verticillium alboatrum* and *V. nigrescens* 240
- Fine structure of *Phytophthora parasitica* zoospores 30
- Fontana, Anna. See Fassi et al. 412
— See Peyronel et al. 410
- Forays. See Mycological Society of America forays
- Frederick, Lafayette, Francis A. Uecker, and Chester R. Benjamin. A new species of *Neurospora* from soil of West Pakistan 1077
- Freeze-drying
silica gel 202
- French, D. W. See Morrison and French 957
- Fundamentals of mycology ; review 1180
- Fungal growth response to thermal gradients in convection incubators 404
- Fungi, an advanced treatise, Vol. III. The fungal population ; review 656
- Fungi isolated from decomposing conifer litter 373
- Furtado, João S. Basidial cytology of *Exidia recisa* 415
- Gedek, Brigitte. Hefen als Krankheitserreger bei Tieren (Yeasts as animal pathogens) ; review 208
- Genera of the operculate Discomycetes, a re-evaluation of their taxonomy, phylogeny, and nomenclature ; review 442
- Genetics
Cochliobolus 799
Panus 830
Sistotrema 57
- Genus *Clavulinopsis* in North America ; review 446
- Genus *Eupenicillium* Ludwig ; review 207
- Genus *Merulius* II. Species of *Merulius* and *Phlebia* proposed by Lloyd 357
- Genus *Pythium* Pringsheim. Diagnoses (or descriptions) and figures from the original papers ; citation 214
- Germination
Pythium 967
- Gilbertson, Robert L. See Miller and Gilbertson 840
- Ginns, James H. The genus *Merulius* II. Species of *Merulius* and *Phlebia* proposed by Lloyd 357
- Gleason, Frank H., and Jefferey S. Price. Lactic acid fermentation in lower fungi 945
- Glucose catabolism
Colletotrichum 902
Gloeosporium 902
- Glucose effect
Eremascus 285
- Goldstein, S., M. M. Belsky, and R. Chosak. Biology of a problematic marine fungus *Dermocystidium* sp. II. Nutrition and respiration 468
- Goos, R. D. Conidium ontogeny in *Cacumisporium capitulatum* 52
— The genus *Pleurothecium* 1048
- Gotelli, David. See Sparrow and Gotelli 199
- Goto, Shoji, Junta Sugiyama, and Hiroshi Iizuka. A taxonomic study of Antarctic yeasts 748

- Gould, Charles J., and C. Gardner Shaw. Spore germination in *Chrysomyxa* spp 694
- Graham, S. O., and S. Gurusiddaiah. The production and purification of phytoactin B-¹⁴C from *Streptomyces hygroscopicus* 136
- Grain storage, the role of fungi in quality loss; review 1020
- Grand, Larry F. A beaded endotrophic mycorrhiza of northern and southern red oak 408
- Gray, William D. See Paugh and Gray 281
- , and Constantine J. Alexopoulos. Biology of the Myxomycetes; review 847
- Greene, George Linden. Enzymes of glucose catabolism pathways in *Colletotrichum* and *Gloeosporium* 902
- Grosklags, J. H. See Benson and Grosklags 718
- Growth
- Agaricus* 305
- Eremascus* 281
- Mucorales 894
- Podospora* 1008
- Growth and rotation of *Flammulina velutipes* fruit bodies and the dependence of stipe elongation on the cap 149
- Growth factors
- Polyporus* 808
- Growth response
- Thermal gradients 404
- Gruen, Hans E. Growth and rotation of *Flammulina velutipes* fruit bodies and the dependence of stipe elongation on the cap 149
- Gurusiddaiah, S. See Graham and Gurusiddaiah 136
- Gusmán, Gáston. *Veligaster*, a new genus of the Sclerodermataceae 1117
- Gymnosporangium *gaumannii* in North America 401
- HacsKaylo, Edward. [Review of] Les mycorrhizes 440
- Hale, Mason E., Jr. The biology of lichens; review 439
- Hasija, S. K., and F. T. Wolf. A new species of *Cintractia* on *Fuirena* (Cyperaceae) 680
- Haskins, R. H. See Child et al. 1096
- Hasseltine, C. W. See Ellis and Hasseltine 863
- Hawaiian fungi 537
- Hawker, Lilian E. A species of *Hysterangium* from Idaho attributed to *H. separabile* 115
- Haynes, James D. The developmental morphology of *Anthostoma gastrinum* 518
- Hefen als Krankheitserreger bei Tieren (Yeasts as animal pathogens), review 208
- Heim, Roger, Roger Cailleux, R. Gordon Wasson, and Pierre Thévenard. Nouvelles investigations sur les champignons hallucinogènes; review 441
- Hendrix, F. F., Jr., and W. A. Campbell. A new species of *Pythium* with spiny oogonia 387
- , and ———. Heterothallism in *Pythium catenulatum* 639
- Hennen, Joe F. See Hile and Hennen 195
- , and George B. Cummins. The autoecious species of *Puccinia* and *Uromyces* on North American *Senecioneae* 340
- Hervey, Annette. See Robbins and Hervey 808
- Hesler, L. R. North American species of *Gymnopilus*; review 1016
- . See Smith and Hesler 1178
- Hess, W. M., and Dayna L. Stocks. Surface characteristics of *Aspergillus conidia* 560
- Heterothallism
- Sistotrema* 57
- Heterothallism in *Pythium catenulatum* 639
- Hile, Nancy, and Joe F. Hennen. In vitro culture of *Pisolithus tinctorius* mycelium 195
- Hill, James C., and George T. Johnson. Microbial transformation of phenazines by *Aspergillus sclerotium* 452
- Hintikka, Veikko. Simplified freeze-drying of mushrooms with silica gel 202
- Ho, H. H. Notes on the behavior of *Phytophthora megasperma* var *sojae* in soil 835
- Hobby, Gladys L. (ed.). Antimicrobial agents and chemotherapy. 1967; citation 214
- Hodges, C. S., Jr. A new species of *Phyllachora* on *Persea* 838
- Holocarpic fungi
- Atkinsiella* 199
- Iceland 496
- Homothallic fungi
- Neurospora* 264
- Homothallism
- Sistotrema* 57

- Hood, J. S. R., and C. H. Dickinson. A new species of *Pseudopeziza* on *Sagina* 430
- Horak, E. Synopsis generum agaricalium (Die Gattungstypen der Agaricales); review 204
- Horsfall, James G. (ed.). Annual review of phytopathology. Vol. 6; review 213
- Host-parasite relations in spot anthracnose of *Desmodium* 1124
- Houston, Martin R., Ilda McVeigh, and William N. Pearson. A bioautographic procedure for detection of thiamine metabolites by use of *Phycomyces blakesleeana* 1168
- Howard, Dexter H. Observations on a culture of *Sporotrichum laxum* 184
- Howard, Kenneth L. and Howard E. Bigelow. Nutritional studies on two gasteromycetes: *Phallus ravenelii* and *Crucibulum levis* 606
- Howard, Kenneth L. and T. W. Johnson, Jr. Aquatic fungi of Iceland; some filamentous, eucarpic, and holocarpic species 496
- Huang, L. H. See Mahoney et al. 264
- Humarina cookeina, an inoperculate discomycete belonging to *Hymenoscyphus* 426
- Hydrogen effect
Crucibulum 609
Gibberella 481
Phallus 609
Pleurotus 1044
Podospora 1008
- Hymenomycetes* 1159
- Hyperparasites 716
- Hyperparasitic *Blyttomyces* 1149
- Hyphal fusion, nuclear condition, and perfect stages of three species of *Rhizoctonia* 775
- Hyphomycetes
 aquatic 177
- Hypogeous *Cortinarii* 526
- Iceland
 Aquatic fungi 496
- Icones fungorum maris; review 213
- Idaho *Discomycetes*. II 683
- Idaho
Hysterangium 115
- Iizuka, Hiroshi. See Goto et al. 748
- Illinois
 fungi 817
- Imperfect stage
Pleurotus 887
- Industrial microbiology; review 659
- Influence of carbon and nitrogen on growth and sterol-induced sexuality of *Pythium* sp. PRL 2142 1096
- Influence of pH on rhythmic mycelial growth in *Podospora anserina* 1008
- Inoperculate discomycete 426
- In vitro culture of *Pisolithus tinctorius* mycelium 195
- Is *Atkinsiella holocarpic*? 199
- Ishida, Norio, and Shigeyasu Akai. Relation of temperature to germination of conidia and appressorium formation in *Colletotrichum lagenarium* 382
- Isolation and culture of lignicolous marine fungi 174
- Isolation of *Trichophyton vanbreuseghemii* from soil in Alberta, Canada 414
- Jellison, William L. *Adiaspiromycosis* (= *Haplomycosis*); review 1181
- Jenkins, Anna E. See Watson and Jenkins 273
- Johnson, George T. See Hill and Johnson 452
- , and James P. White. Anthraquinone pigments from *Helminthosporium oryzae* 661
- Johnson, Robert M. See Kulik and Johnson 1142
- Johnson, T. W., Jr. See Howard and Johnson 496
- Jong, S. C., and J. D. Rogers. *Poria oedipus* in culture 853
- Kalnins, K. See Collins and Kalnins 645
- Kaufmann, Henry H. See Christensen and Kaufmann 1020
- Kendrick, W. Bryce. Preservation of fleshy fungi for taxonomy 392
- . See Cole et al. 726
- Keratinophilic fungi 414
- Key to *Pythium* Pringsheim; citation 214
- Keys for identification of fungi
Hypocrea citrina varieties 322
Neurospora species 1083
Phillipsia species of Central America, Mexico, and Caribbean 292
Puccinia species on North American *Eupatoriaceae* 925
Puccinia species on *Senecioneae* 341
Ramariopsis species North America 557
Uromyces 341
- Khare, K. B. See Tewari and Khare 426
- Kimbrough, James W. North American species of *Thecothecus* (*Pezizaceae*, *Pezizaceae*) 99
- . See Tu et al. 775

- Kirk, Paul W., Jr. Aquatic hyphomycetes on wood in an estuary 177
- . Fungal growth response to thermal gradients in convection incubators 404
- . Isolation and culture of lignicolous marine fungi 174
- Kishimoto, Richard A., and Gladys E. Baker. Pathogenic and potentially pathogenic fungi isolated from beach sands and selected soils of Oahu, Hawaii 537
- Kobayashi, T. See Sutton and Kobayashi
- Koch, William J. (ed.). Mycological studies honoring John N. Couch; review 845
- . See Umphlett and Koch 1021
- . Studies of the motile cells of chytrids. 6. The Monoblepharidales and Blastocladiiales types of posteriorly uniflagellate motile cell 422
- Kohlmyer, Jan. Perithecial hairs with phialides in *Spathulospora phycofila* 1012
- Kohlmeier, Jan and Erika. *Icones fungorum maris*; review 213
- Korf, Richard P. [Review of] Australian Pezizales in the herbarium of the Royal Botanic Gardens Kew 442
- . [Review of] British Ascomycetes 442
- . [Review of] Genera of the operculate Discomycetes, a re-evaluation of their taxonomy, phylogeny, and nomenclature 442
- . [Review of] Les caroténoides des Discomycètes essai chimiotaxinomique 442
- Koske, Richard E., Jr., and Chester R. Leathers. Sporophore production by species of *Clavicornia* in culture 999
- Kowalski, Donald A. A new coprophilous species of *Didymium* 635
- Kramer, C. L. See Pady et al. 87
- Kulik, Martin M., and Robert M. Johnson. Feasibility of characterizing spore color in *Aspergilli* by reflectance spectrophotometry 1142
- Kwon-Chung, Kyung Joo. Studies on the sexuality of *Nannizzia*. II. Morphogenesis of gametangia in *N. incurvata* 593
- Lactic acid fermentation in lower fungi 945
- Larsen, Michael J. Notes on Tomentel-
loid fungi. II. *Tomentella bresadolae* and *T. ruttnerii* 670
- Larsh, Howard W. See Pore et al. 418
- Laux, W., and W. Sicker (eds.). *Bibliographie der Pflanzenschutz-Literatur* (Bibliography of plant protection); citation 214
- Lawrence, George H. M., A. F. Günther Buchheim, Gilbert S. Daniels, and Helmut Dolezal (eds.). *B-P-H; Botanico-Periodicum-Huntianum*; review 654
- Leathers, Chester R. See Koske and Leathers 999
- Lemke, Paul Arenz. A reevaluation of homothallism, heterothallism and the species concept in *Sistotrema brinkmanni* 57
- Liceales 230
- Lichens 731
- Lichens of Long Island, New York: a vegetational and floristic analysis; review 209
- Life history and cytology of *Rhytisma punctatum* on bigleaf maple 1085
- Lignicolous fungi 174
- Lim, G. See Ong and Lim 1072
- Linoleic acid effect
 Agaricus 309
- Lipid effect
 Agaricus 305
- Lloyd C. G. Species of *Merulius* and *Phlebia* 357
- Locquin, Marcel, and Françoise Cleret (eds.). *Mycotaxia, flora iconesque fungorum*; review 434
- Loculoascomycete 737
- Lophodermium (*Davisomycella*) *ponderosae* 396
- Lowy, B. [Review of] Soma, divine mushroom of immortality 849
- Luck-Allen, E. Robena. See Cain and Luck-Allen 580
- Luttrell, E. S. *Curvularia coicis* and the *Nodulosa* group of *Bipolaris* 1031
- Maas, John L., and Daniel E. Stuntz. Mycoecology on serpentine soil 1106
- Macroconidium appendage in *Microsporium gypseum* 511
- Macroconidium production
 Gibberella 481
- Mahoney, D. P., L. H. Huang, and M. P. Backus. New homothallic *Neurosporas* from tropical soils 264
- Marine fungi 174
 Dermocystidium 468
 hyphomycetes 177

- Marsh, Paul B. See Simpson and Marsh 987
- Mason, D. L., and M. P. Backus. Host-parasite relations in spot anthracnose of *Desmodium* 1124
- Mateles, Richard I., and Steven R. Tannenbaum (eds.). Single-cell protein; review 1019
- McKnight, Kent H. A note on *Discina* 614
- , O. K. Miller, Jr., M. L. Farr, and H. H. Burdsall, Jr. [Review of] Mycotaxia, flora iconesque fungorum 434
- McVeigh, Ilda. See Houston et al. 1168
- Meadow, Pauline M., and S. J. Pirt. Microbial growth; review 1019
- Meaning of "Pleomorphism" 1161
- Media
- corn steep 137
 - MMT 131
 - Phycomyces 1169
 - Pythium 1097
 - Sabouraud modified 131
 - Sistotrema sporulation minimal 60
- Media for
- Agaricus 306
 - Allomyces 642, 643
 - Cochliobolus 800
 - Dermocystidium 469
 - Dictyuchus 253
 - Eremascus 282
 - Neurospora 265
 - Polyporus 809
- Medizinische Mykologie in Praxis und Klinik (Medical mycology for the practitioner); review 208
- Metabolism
- Mucorales 894
- Methods. See Techniques.
- Mexico
- Platyptella 191
- Meyers, S. P. Thalassiomycetes. XI. Further studies of the genus *Lindra* with a description of *L. marinera*, a new species 486
- Michalski, Chester J., and E. S. Beneke. Enzymatic activities during basidiocarp development of *Pleurotus ostreatus* 1041
- Microbial growth; review 1019
- Microbial transformation of phenazines by *Aspergillus sclerotiorum* 452
- Microflora of eastern Canadian wood chip piles 1165
- Microscopic observations on fungi associated with cotton boll-rot fibers 987
- Miller, Orson K., Jr. A new species of *Pleurotus* with a coremioid imperfect stage 887
- , See McKnight et al. 434
- , and Robert L. Gilbertson. Notes on homobasidiomycetes from northern Canada and Alaska 840
- Mims, Charles W. Capillitial formation in *Arcyria cinerea* 784
- Moississures toxiques dans l'alimentation; review 657
- Monoblepharidales 422
- Moreau, Claude. Moississures toxiques dans l'alimentation; review 657
- Morphogenesis
- Nannizzia 593
- Morphology
- Anthostoma 518
 - Arcyria 784
 - basidiocarp 149
 - Cacumisporium 52
 - Chaetomium funicolum 1060
 - Flammulina 149
 - Hypocrea 315
 - Mucorales 894
 - Panus 830
 - Puccinia 981
 - Sclerotinia 332
 - stipe elongation 149
 - Verticillium 240
- Morphology of a new loculoascomycete on *Bambusa arundinacea* 737
- Morphology of pycnia of some *Ravenelia* species 826
- Morrison, R. H., and D. W. French. Taxonomy of *Cylindrocladium floridanum* and *C. scoparium* 957
- Motta, Jerome J. Somatic nuclear division in *Armillaria mellea* 873
- Mucorales 894
- Mukerji, K. G. On the nomenclature of the powdery mildew on *Dalbergia sissoo* 181
- Murihasidiosporaceae a new family of Hymenomycetes 1159
- Mushrooms of Eastern Canada and the United States; listing 448
- Mutant
- Aspergillus 651
- Mutation
- Cochliobolus 799
 - Podospora 1009
- Muthappa, B. N. Morphology of a new loculoascomycete on *Bambusa arundinacea* 737
- Mycelium
- Pisolithus 195
- Mycocology on serpentine soil 1106
- Mycologia
- financial report 1185
- Mycologia reviewers; notice 216

- Mycological Society of America
annual lectures
Alexopoulos, C. J. 219
forays
1965, III. 817
presidential addresses
Simmons, Emory G. 1
- Mycological studies honoring John N. Couch; review 845
- Mycologists, portraits
Duncan, Catherine Gross 28
Mains, Edwin B. 450
Simmons, Emory G. frontisp
- Mycologists, group photographs
1965 foray, Illinois: 820
- Mycoparasite
Piptocephalis 586
- Mycorrhiza 408, 410, 412
- Mycorrhizes; review 440
- Mycotaxia, flora iconesque fungorum;
review 434
- Myxomycetes 219
Arcyria 784
- Nag Raj, T. R. See Cole et al. 726
- Nelson, Paul E. See Toussoun and Nelson 1018
- New coprophilous species of *Didymium* 635
- New homothallic *Neurospora* from tropical soils 264
- New or noteworthy *Tremellales* from southern Brazil 77
- New polypore from the eastern United States 647
- New rust record on *Pennisetum typhoides* 198
- New species of *Cintractia* on *Fuirena* (Cyperaceae) 680
- New species of *Elsinoe* and *Sphaceloma* 273
- New species of *Neurospora* from soil of West Pakistan 1077
- New species of *Phyllachora* on *Persea* 838
- New species of *Platypteltella* from Mexico 191
- New species of *Pleurotus* with a coremioid imperfect stage 887
- New species of *Pseudopeziza* on *Sagina* 430
- New species of *Pteridiospora* 167
- New species of *Pythium* with spiny oogonia 387
- Nitrogen effect
Crucibulum 611
Dermocystidium 470
Helminthosporium 665
Phallus 611
Pythium 972, 1096
- Nolan, Richard A. Nutritional requirements for species of *Allomyces* 641
- Nomenclature
powdery mildew 181
- Norstictic acid as a hymenial constituent of *Letharia* 731
- North American species of *Gymnopilus*; review 1016
- North American species of *Pholiota*; review 1178
- North American species of *Thecotheus* (Pezizeae, Pezizaceae) 99
- Notes on the behavior of *Phytophthora megasperma* var *sojae* in soil 835
- Notes on clavarioid fungi. X. New species and type studies in *Ramariopsis* with a key to species in North America 549
- Note on *Discina* 614
- Notes on homobasidiomycetes from northern Canada and Alaska 840
- Notes on tomentelloid fungi. II. *Tomentella bresadolae* and *T. ruttnerii* 670
- Notices 216, 1184
AIBS national biological congress 217
Mycologia reviewers 216
- Nouvelles investigations sur les champignons hallucinogènes; review 441
- Nuclei of the genus *Emericellopsis* 718
- Nutrition
Dermocystidium 468
- Nutritional requirements for species of *Allomyces* 641
- Nutritional studies on two *Gasteromycetes*: *Phallus ravenelii* and *Crucibulum levis* 606
- Observations on a culture of *Sporotrichum laxum* 184
- Occurrence of ergosterol in the fungus *Ceratocystis fagacearum* 645
- Oleic acid effect
Agaricus 309
- On the nomenclature of the powdery mildew on *Dalbergia sissoo* 181
- Ong, Y. H., and G. Lim. Synonymy of *Sphacelotheca ischaemicola* and syndrome on *Ischaemum* species 1072
- Ontogeny
Conidium 52
- Oogonium
Pythium 387
- Orange-yellow mutant of *Aspergillus parasiticus* produces aflatoxin 651
- Osmophilic fungi
Eremascus 281

- Paden, J. W., and E. E. Tylutki. Idaho Discomycetes. 11 683
- Padhye, A. A. Behavior of non-pigment-forming isolates of *Keratinomyces ajelloi* mated with *Arthroderma uncinatum* 1175
- . Isolation of *Trichophyton vanbreuseghemii* from soil in Alberta, Canada 414
- . Thermotolerance of *Chrysosporium tropicum* differentiates it from *C. keratinophilum* 1162
- Pady, S. M., C. L. Kramer, and R. Clary. Periodicity in spore release in *Cladosporium* 87
- Papa, L. E. Auxotrophic mutants of *Cochliobolus carbonum* 799
- Parasitic fungi on *Hysterangium* 119
- Parmelee, J. A. Gymnosporangium *gaumannii* in North America 401
- Partridge, A. D. See Woo and Partridge 1085
- Pathogenic and potentially pathogenic fungi isolated from beach sands and selected soils of Oahu, Hawaii 537
- Pathogenicity of plant and animal isolates of *Geotrichum candidum* in the turtle 473
- Pathology
- Rhytisma 1087
- Paugh, Roscoe L., and William D. Gray. Studies on the growth of the osmophilic fungus *Eremascus albus* 281.
- Pavgi, M. S. and U. P. Singh. Morphology of pycnia of some *Ravenelia* species 826
- Pearson, William N. See Houston et al. 1168
- Perfect stage
- Rhizoctonia 775
- Perfect states of *Stemphylium* 1
- Periodicity in spore release in *Cladosporium* 87
- Perithecial hairs with phialides in *Spathulospora phycophila* 1012
- Petersen, Ronald H. Notes on clavarioid fungi. X. New species and type studies in *Ramariopsis*, with a key to species in North America 549
- . The genus *Clavulinopsis* in North America; review 446
- Peterson, J. L. See Cappellini and Peterson 481
- Peyronel, Beniamino, Bruno Fassi, Anna Fontana, and James M. Trappe. Terminology of mycorrhizae 410
- Pezizaceae 99
- Pezizeae 99
- Phaneroplasmodium 223
- Phenazines 452
- Phenethyl alcohol effect
- Mucorales 894
- Phialides
- Spathulospora 1012
- Photomicrography 726
- Physarales 230
- Physiology
- Allomyces 641
- Basidiobolus 130
- Crucibulum 606
- Flammulina 149
- Phallus 606
- Sclerotinia 332
- Phytoactin BITC 136
- Pictorial guide to the identification of *Fusarium* species according to the taxonomic system of Snyder and Hansen; review 1018
- Pigment production by *Basidiobolus* in the presence of tyrosine 130
- Pigment-forming fungi 1175
- Pigments
- Helminthosporium 661
- Pirt, S. J. See Meadow and Pirt 1019
- Plant pathologist's pocketbook; review 1018
- Pocket encyclopedia of plant galls; review 1020
- Pollack, Flora G. See Farr and Pollack 191
- , and Chester R. Benjamin. *Arthrinium japonicum* and notes on *Arthrinium kamtschaticum* 187
- Polypore 647
- Pomerleau, René. Mushrooms of Eastern Canada and the United States; listing 448
- Pore, R. Scott, Carole Pyle, Howard W. Larsh, and John J. Skvarla. *Aspergillus carneus* aleuriospore cell wall ultrastructure 418
- Poronia oedipus in culture 853
- Portraits of mycologists. See Mycologists, portraits
- Powdery mildew
- nomenclature 181
- Preservation of fleshy fungi for taxonomy 392
- Presidential addresses. See Mycological Society of America
- Price, Jefferey S. See Gleason and Price 945
- Principles of plant and animal pest control. Vol. 1, plant-disease development and control; citation 214
- Production and germination of appressoria in *Pythium irregulare* 967
- Production and purification of phytoac-

- tin B-¹⁴C from *Streptomyces hygroscopicus* 136
- Production of amylase by some thermophilic fungi 1171
- Protoplasmodium 223
- Prusso, Don C. See Evans and Prusso 832
- Pteridophytes
- Adiantum* 1109
 - Cheilanthes* 1109
 - Polystichum* 1109
- Pycnia
- Ravenelia* 826
 - Stakmania* 823
- Pyle, Carole. See Pore et al. 418
- Rajendren, Richard B. Behavior of diploid nucleus in *Scopellopsis dalbergiae* (Uredinales) 631
- . *Muribasidioporaceae* a new family of Hymenomycetes 1159
- Reevaluation of homothallism, heterothallism and the species concept in *Sistotrema brinkmanni* 57
- Reflectance spectrophotometry 1142
- Reichle, R. E. Fine structure of *Phytophthora parasitica* zoospores 30
- Relation of age of two host fungi to development of the mycoparasite *Piptocephalis virginiana* 586
- Relation of temperature to germination of conidia and appressorium formation in *Colletotrichum lagenarium* 382
- Reprinted books and articles 215
- Respiration
- Dermocystidium* 468
- Reviews 204, 434, 654, 845, 1016
- Rifai, M. A. The Australian Pezizales in the herbarium of the Royal Botanic Gardens Kew; review 442
- Robbins, William J., and Annette Hervey. Unidentified growth factors for *Polyporus schweinitzii* 808
- Roberts, D. A. See Tu et al. 775
- Robinson, Albert D. See Rosinski and Robinson 830
- Rogers, J. D. See Jong and Rogers 853
- Rogerson, Clark T. [Review of] B-P-H; *Botanico-Periodicum-Huntianum* 654
- Rosinski, Martin A., and Albert D. Robinson. Secotoid divergence in *Panus tigrinus*: an emended discussion 830
- Ross, Ian K. [Review of] Biology of the Myxomycetes 847
- Rust 198
- Salt effect
- Dermocystidium* 469
- Sathe, Arun V. A new rust record on *Pennisetum typhoides* 198
- . Sexual fusions and nuclear divisions in the pycnia of *Stakmania formosana* (Uredinales) 823
- Savile, D. B. O. The Meaning of "pleomorphism" 1161
- Schisler, Lee C. See Wardle and Schisler 305
- Sclerodermataceae 1117
- Scott, De B. The genus *Eupenicillium* Ludwig; review 207
- Secotoid divergence in *Panus tigrinus*: an emended discussion 830
- Semidelitschia, a new genus of the Sporormiaceae 580
- Senecioneae
- Puccinia* 340
 - Uromyces* 340
- Serpentine soil fungi 1106
- Sexual fusions and nuclear divisions in the pycnia of *Stakmania formosana* (Uredinales) 823
- Sexuality, sterol-induced 1096
- Sexual reactions between clonal subcultures of a strain of *Dictyuchus monosporus* 251
- Sexuality
- Nannizzia* 593
- Shaffer, Robert L. [Review of] *Nouvelles investigations sur les champignons hallucinogenes* 441
- Shaw, C. Gardner. See Gould and Shaw 694
- Sherwood, Williams A. Sexual reactions between clonal subcultures of a strain of *Dictyuchus monosporus* 251
- Shields, J. K. Microflora of eastern Canadian wood chip piles 1165
- Silica gel 202
- Simmons, Emory G. Perfect states of *Stemphylium* 1
- Simple technique for time-lapse photomicrography of microfungi in plate culture 726
- Simplified freeze-drying of mushrooms with silica gel 202
- Simpson, Marion E. and Paul B. Marsh. Microscopic observations on fungi associated with cotton boll-rot fibers 987
- Sinclair, J. B., and Zeineb M. El-Tobshy. Pathogenicity of plant and animal isolates of *Geotrichum candidum* in the turtle 473
- Singer, Rolf. [Review of] *Synopsis generum agaricalium* (Die Gattungstypen der Agaricales) 204
- Singh, U. P. See Pavgi and Singh 826
- Single-cell protein; review 1019

- Skvarla, John J. See Pore et al. 418
 Smith, Alexander H. Edwin Butterworth Mains 1890-1968; biography 449
 —, and L. R. Hesler. The North American species of *Pholiota*; review 1178
 —. See Thiers and Smith 526
 Soil fungi 1106
 Conifer litter 373
 Hawaii 537
 Neurospora 264
 Pakistan 1077
 Phytophthora 835
 Trichophyton 414
 Soma, divine mushroom of immortality; review 849
 Somatic nuclear division in *Armillaria mellea* 873
 Sparrow, Frederick K. See Dogma
 —, and David Gotelli. Is *Atkinsiella holocarpic*? 199
 Species of *Hysterangium* from Idaho attributed to *H. separabile* 115
 Spectrophotometry 1142
 Spermatophytes
 Abies 373, 374, 413, 476, 671, 1108, 1165
 Acer 408
 Agropyron 1109
 Amelanchier 401, 408
 Arctostaphylos 1109
 Betula 175, 177
 Calamagrostis 1109
 Chamaecyparis 412, 413
 Citrus 476
 Cornus 408
 Crataegus 402
 Cryptomeria 412, 413
 Dalbergia 181, 182
 Desmodium 1124
 Douglasia 1109
 Erythronium 1109
 Ilex 408
 Juniperus 1109
 Larix 374, 412, 413
 Ledum 1109
 Liquidambar 408
 Lycopersicon 477
 Miconia 265
 Nothofagus 1107
 Nyssa 408
 Pennisetum 198
 Picea 373, 413, 1109, 1165
 Pinus 373, 375, 376, 380, 412, 413, 1108
 Populus 408
 Prunus 408
 Pseudotsuga 374, 412, 413, 1108
 Quercus 408
 Senecio 1109
 Silene 1109
 Sorbus 401, 408
 Taxus 1109
 Thuja 374
 Tsuga 374, 553, 1109
 Spore
 airborne *Cladosporium* 87
 Spore color, *Aspergilli* 1142
 Spore dispersal by birds 832
 Spore germination in *Chrysomyxa* spp. 694
 Spore release 87
 Sporophore production by species of *Clavicornia* in culture 999
 Sporormiaceae 580
 Sporulation of *Gibberella zeae*. II. The effects of pH on macroconidium production 481
 Spot anthracnose 1124
 Staley, John M. See Dubin and Staley 396
 Stemonitales 230
 Stephanocysts: unique structures in the *Basidiomycetes* 915
 Sterol-induced sexuality 1096
 Stocks, Dayna L. See Hess and Stocks 560
 Storck, Roger. See Terenzi and Storck 894
 Strasserioopsis gen. nov., based on *Phellostroma tsugae* 1066
 Studies of the motile cells of chytrids. 6. The *Monoblepharidales* and *Blastocladales* types of posteriorly uniflagellate motile cell 422
 Studies on the growth of the osmophilic fungus *Eremascus albus* 281
 Studies on the sexuality of *Nannizzia*. II. Morphogenesis of gametangia in *N. incurvata* 593
 Stuntz, Daniel E. [Review of] The North American species of *Pholiota* 1178
 —, See Maas and Stuntz 1106
 Substrate, unusual
 bird droppings 541
 Sucrose effect
 Eremascus 283
 Sugiyama, Junta. See Goto et al. 748
 Surface characteristics of *Aspergillus* conidia 560
 Sussman, A. S. See Ainsworth and Sussman 656
 Sutton, B. C., and T. Kobayashi. *Strasserioopsis* gen. nov., based on *Phellostroma tsugae* 1066
 Swatek, F. E. See Cutler and Swatek 130
 Syndrome 1072

- Synonymy of *Sphacelotheca ischaemicola* and syndrome on *Ischaemum* species 1072
- Synopsis generum agaricalium (Die Gattungstypen der Agaricales); review 204
- Szemere, L. Die Unterirdischen Pilze des Karpatenbeckens; comments 170
- Tannenbaum, Steven R. See Mateles and Tannenbaum 1019
- Taschdjian, C. L. [Review of] Hefen als Krankheitserreger bei Tieren (Yeasts as animal pathogens) 208
- . [Review of] Medizinische Mykologie in Praxis und Klinik (Medical mycology for the practitioner) 208
- Taxonomic study of Antarctic yeasts 748
- Taxonomy and morphology of *Hypocrea citrina* 315
- Taxonomy of *Cylindrocladium floridanum* and *C. scoparium* 957
- Techniques
- Freeze-drying with silica gel 202
 - Kramer-Collins spore sampler 89
 - Preservation, fleshy fungi 392
 - Time-lapse photomicrography 726
- Teliospore germination 981
- Temperature effect
- Colletotrichum* 382
 - Pleurotus* 1045
 - uredospore germination 700
- Terenzi, Hector F., and Roger Storck. The effect of phenethyl alcohol on the morphology, growth, and metabolism of some *Mucorales* 894
- Terminology of mycorrhizae 410
- Terms
- allothalllic 73
 - ectendocellular 410
 - ectendomycorrhiza 411
 - ectendotrophic 410
 - ectocellular 410
 - ectomycorrhiza 410
 - ectotrophic 410
 - endocellular 410
 - endomycorrhiza 411
 - endotrophic 410
 - heterodikaryon 57
 - homodikaryon 57
 - pleomorphism 1161
- Tewari, V. P., and K. B. Khare. *Humarina cookeina*, an inoperculate discomycete belonging to *Hymenoscyphus* 426
- Thalassiomycetes. XI. Further studies of the genus *Lindra* with a description of *L. marinera*, a new species 486
- The genus *Pleurothecium* 1048
- Thermophilic fungi 1171
- cellulolytic activity 120
- Thermotolerance of *Chrysosporium tropicum* differentiates it from *C. keratinophilum* 1162
- Thévenard, Pierre. See Heim et al. 441
- Thiers, Harry D. and Alexander H. Smith. Hypogeous *Cortinarii* 526
- Tomentelloid fungi 670
- Toussoun, T. A., and Paul E. Nelson. A pictorial guide to the identification of *Fusarium* species according to the taxonomic system of Snyder and Hansen; review 1018
- Trappe, James M. Comments on Szemere's "Die Unterirdischen Pilze des Karpatenbeckens" 170
- Trappe, James M. See Fassi et al. 412
- . See Peyronel et al. 410
- Tremellales
- Brazil 77
- Trichiales 230
- Tropical fungi
- Neurospora* 264
- Tu, C. C., D. A. Roberts, and J. W. Kimbrough. Hyphal fusion, nuclear condition, and perfect stages of three species of *Rhizoctonia* 775
- Turtle
- Geotrichum* 473
- Two new dentigerate species of *Phlyctochytrium* (*Chytridiomycetes*) 1021
- Two new members of the *Mucorales* 863
- Tylutki, E. E. See Paden and Tylutki 683
- Tyrosine 130
- Uecker, Francis A. See Frederick et al. 1077
- Ullasa, B. A. *Balansia claviceps* in artificial culture 572
- Ultrastructure
- Arcyria* 784
 - Aspergillus* 418, 560
 - Phytophthora* 30
 - Verticillium* 240
- Umphlett, Clyde J., and William J. Koch. Two new dentigerate species of *Phlyctochytrium* (*Chytridiomycetes*) 1021
- Unterirdischen Pilze des Karpatenbeckens; comments 170
- Unidentified growth factors for *Polyporus schweinitzii* 808
- Uredinales
- Stakmania* 823

- Veligaster, a new genus of the Sclerodermataceae 1117
- Vitamin effect
 Crucibulum 612
 Phallus 612
 Pythium 974
- Wardle, Kenneth S., and Lee C. Schisler. The effects of various lipids on growth of mycelium of *Agaricus bisporus* 305
- Wasson, R. Gordon. See Heim et al. 441
- . Soma, divine mushroom of immortality; review 849
- Waterhouse, Grace M. Key to *Pythium* Pringsheim; citation 214
- . The genus *Pythium* Pringsheim. Diagnoses (or descriptions) and figures from the original papers; citation 214
- Watson, Alice J., and Anna Jenkins. New species of *Elsinoe* and *Sphaeloma* 273
- Wells, Kenneth. New or noteworthy Tremellales from southern Brazil 77
- White, James P. See Johnson and White 661
- Willetts, Haydn J. Cultural characteristics of the brown rot fungi (*Sclerotinia* spp.) 332
- Wolf, F. T. See Hasijsa and Wolf 680
- Wood chip fungi 1165
- Woo, J. Y., and A. D. Partridge. The life history and cytology of *Rhytisma punctatum* on bigleaf maple 1085
- Wyllie, Thomas D. See Buckley et al. 240
- Yeasts 748
- Zoospore
 Phytophthora 30
- Zuck, Robert K. [Review of] The fungi, an advanced treatise, Vol. III. The fungal population 656

FUNGUS TAXA INDEX

The Fungus Taxa Index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

- Absidia* 380, 541; *californica* 377; *glauca* 376; *scabra* 377; *spinosa* 376, 379, 380
- Acetabula ancilis* 626
- Achlya* 72, 251, 501; *ambisexualis* 251; *benckei* 1002-1006; *bisexualis* 251, 603; *colorata* 1005; *flagellata* 586; *hypogyna* 1002-1008; *mucronata* 1002-1007; *racemosa* 1005
- Acremonium* 377
- Acrospira levis* 376, 378
- Acrothecium* 52, 1048; *apicale* 53; *recurvatum* 1048, 1049, 1050; *scopulae* 53; *tenebrosum* 52
- Actinomyces elegans* 376, 380
- Aerobacter aerogenes* 1169
- Agaricus* 149, 162, 163; *bisporus* 120, 149, 162, 164, 305-314; *placomyces* 819
- Albugo candida* 48
- Aleuria ancilis* 626
- Aleurodiscus* 1115; *amorphus* 1115; *sordido-albus* 82, 83
- Allescheria boydii* 177, 538; *terrestris* 1166
- Allescheriella crocea* 822
- Allodus subcircinata* 345
- Allomyces* 71, 422, 425, 471, 641-644; subg. *Eualomyces* 642, 644; *arbuscula* 642; *cystogenus* 642; 644; *javanicus* f 423, 425; *macrogyrus* 642; *moniliformis* 642, 644
- Alternaria* 4, 24, 95, 833, 987, 990; *alternata* 1166; *dianthicola* 377; *lan-cipes* 21; *tenuis* 376, 379
- Amanita* 203, 1107; *gemmata* 1110; *muscaria* 1111
- Anthostoma* 518-525, f 520, f 522
- Aphanomyces* 496, 497, 501, f 501, f 503; *amphigynus* 497; *camptostylus* 499; *cladogamus* 499; *euteiches* 47, 951; *helicoides* 497; *irregulare* 497; *laevis* 497, 499, 501; *f. keratinophilus* 499; *scaber* 497
- Arcyria cinerea* 784-798, f 785, f 787, f 789, f 790, f 793, f 795, f 797; *fer-*

- ruginea 1113; insignia 818; pomi-
 formis 818
Areolaria 1118; *columnaris* 1118; *lanosum* 1118
Armillaria 885; *mellea* 873-886, f 875, f 882, 1110; *zelleri* 1111
Arthrimum austriacum 189; *caricicola* 189; *curvatum* var *curvatum* f 189, 190; var *minus* 189; *cuspidatum* 189; *euphorbiae* 189; **japonicum** 187-190, f 189; *kamtschaticum* 187-190, f 189; *lobatum* 189; *luzulae* 189; *morthieri* 189; *phaeospermum* 189, 726, 729; *puccinioides* 189; *sacchari* 189; *saccharicola* 189; *spegazzinii* 189; *sphaerospermum* 189; *sporophleum* 189; *urticae* 189
Aphelaria 366
Apiospora montagnei 189
Apodachlya f 499, 503, 953; *brachynema* 952; *minima* 503; *punctata* 952; *pyriferia* 503
Aqualinderella 953, 954; *fermentans* 951-953
Arthrimum 187, f 188, f 189, 189, 190; *fuckelii* 189; *ushuwaianse* 189
Arthroderma 603; *benhamiae* 414; *flavescens* 414; *gertleri* 414; *gloriae* 414; *lenticularum* 414; *quadrifidum* 414; *simii* 414; *uncinatum* 1175-1177
Ascobolus cinereus 109; *incanus* 109; *pelletieri* 99, 107, 108
Ascocoryne sarcoides 1166
Ascophanus 99; *cinereus* 106, 109; *crustaceus* 106, 110; *holmskjoldii* 109; *incanus* 109, 110; *isabellinus* 109, 110; *pallens* 113; *pelletieri* 108
Asperigillus 380, 422, 455, 560-571, 651, 833, 1142-1148, 1166, 1171, 1172; *aculeatus* 560, 561, f 562; *awamori* 560, 561, f 562; *candidus* 377; *carbonarius* 651; *carneus* 418-422, f 419, f 421; *fischeri* 560, 563, f 564; *flavus* 987, 990, 1143, 1144, 1146, 1147; *fonsecaeus* 651; *fumigatus* 376, 541, 560, 563, f 564, 569, 1166; var *ellipticus* 377; *melleus* 560, 565, f 566, 569; *nidulans* var *echinulatus* 560, 565, f 566; *niger* 377, 465, 541, 560, 565, f 568, 569, 987, 990; *ochraceus* 455, 465, 560, 567, f 568, 569, 651, 652; *oryzae* 247, 1143, 1145-1147; *parasiticus* 651-653, 1143, 1146, 1147; *sclerotiorum* 452-467; *ustus* 377, 560, 567, f 570; *versicolor* 376; *wentii* 376, 560, 567, f 570
Asterina 840
Asterolibertia 194
Asterostroma 819; *andinum* 819; *ochroleucum* 819
Atkinsiella 199-201; *dubia* 199, f 200, 201
Aureobasidium 1166; *pullulans* 376, 379, 1166
Auricularia auricula 1115
Aurophora 290; *dochmia* 292, 302
Bacillus cereus 484
***Backusella* 863-869; circina 863-865-869, f 865, f 869**
Bacterium rubescens 1161
Badhamia gracilis 223, 638, 797; *utricularis* 223
Baeomyces carneus 734
Balansia 572, 573, 576, 577, 1068; *claviceps* 572-579, f 574, f 575, f 576, f 578
Balsamia 172; *magnata* 172; *platyspora* 172, 173; *polysperma* 172; *vulgaris* 172, 173
Barbeyella 226, 229, 230; *minutissima* 223, 224, f 227
Basidiobolus 130-135; *haptosporus* 130-133; *meristosporus* 130-133; *microsporus* 131, 133; *ranarum* 130-133
Basidiobotrys 861
Beauveria bassiana 376, 379
Bipolaris 24, 1031-1040; *coicis* 1032; f 1033, 1034, 1039; ***hadrotrichoides* 1035, f 1037, 1038, 1039; kusanoi** 1034, f 1037, 1038, 1039; *leucostyla* 1037; *nodulosa* f 1037, 1038, 1039
Bispora betulina 1166
Bjerkandera adusta 819
Blaskelea trispora 603
Blastocladia 954; *ramosa* 954
Blastocladia 425, 954
Blyttomyces 1149-1158; *helicus* 1149, f 1153, 1155, 1156; *laevis* 1149, 1156; ***rhizophlyctidis* 1150, f 1152, 1154-1156; spinulosus** 1149, 1156; ***vaucheriae* 1157**
Boletus edulis 1111; *fomentarius* 317
Bombardia 270; *coprophila* 819
Bondarzewia berkelevi 821
Botryosphaeria dothidea 819; *philoprina* 819; *quercum* 819
Botrytis 833, 967; *cinerea* 247, 376
Bourdotia 83
Brachysporiella 1167
Brettanomyces clausenii 377
Bulgaria 691; *globosa* 692; *melastoma* 686; *mexicana* 683, 689, 691
Bullera alba 377
Byssoschlamys 1166
Cacumisporium 52, 55; *capitulatum* 52-56, f 54, 1049; *tenebrosus* 52, 1049, 1050

- Calcarisporium* 1167; *arbuscula* 377
Calocera viscosa f 202
Calonectria floridana 965; *uniseptata* 965
Caloscypha fulgens 1111
Calosphaeria barbirostris 819
Calvatia 531, 607, 1111, 1118; *cranii-formis* 821; *cyathiformis* 1041, 1046; *gigantea* 197; *subcretacea* 1111
Candida 376, 378, 754, 755, 757, 763, 765, 833; *albicans* 541, 542, 763; ***australis*** 753-758, **762**, f 764; *curvata* 765; *diffuens* 753-756, 763, 765, f 766; *frigida* 765; *gelida* 765; *humicola* 753-755, 758, 765, f 766; *krusei* 541; *nivalis* 765; *parapsilosis* 541; *scottii* 753, 755, 756, 758, 765, 767, f 768; *stellatoidea* 763
Cantharellus cibarius 821; *clavatus* 1111; *subalbidus* 1109, 1110
Catenaria 47, 884; *anguillulae* 883
Catenularia 376
Catinella nigroolivacea 819
Caulobacter 176; *intermedius* 176; *maris* 176
Cephaloscypha fragrans 1166
Cephalosporium 320, f 321, 322, 326, 329, 541, 1167; *acremonium* 376, 380; *humicola* 376, 380
Ceratiomyxa fruticulosa 818, 1113
Ceratobasidium 776, 777, 779-781; ***ramicola*** 776, f 779, **781**
Ceratocystis albidus 1166; *agacearum* 645, 646; *picea* 1166
Cercospora 96; *apii* 479; *lippii* 822
Cerebella 95
Cerodonthis 737; ***aurea*** 737, f 738, f 739, f 740, f 741, f 742, f 743, 745, 746
Cerrina unicolor 821
Chaetocladium brefeldii 869
Chaetomium 380, 833, 994, 1060, 1065; *africanum* 377; *brasiliense* 1065; *elatum* 1065; *erectum* 377; *erraticum* 1060; 1064; *funiculum* 1060-1065, f 1061, f 1063; *globosum* 405, 406, 1065; *murorum* 377; *olivaceum* 377; *thermophile* 120, 125; *var coprophile* 123-126; 1173; *var dissitum* 123-126, 1073; *trigonosporum* 1065
Chaetoporus corticola 821
Chaetostylum fresenii 869
Chalara 55
Chateomium tortile 376
Cheilymenia coprinaria 103
Chlorociboria versiformis 819
Choaneophora cucurbitarum 587-590, 592
Chromocrea spinulosa 328
Chrysomyxa 694-717; *ledi* var *glandulosa* 695, 699, 702, 706, 708, 709, 711, 716; *var rhododendri* 695-697, 699, 702-708, 716; *ledicola* 695, 696, 699-714, 716; *piperiana* 695-701, 703-706, 708-716; *roanensis* 695, 696, 698, 703, 715
Chrysosporium 185, 186, 1167; *keratinophilum* 376, 1162-1164; *lignorum* 1165; *pannorum* 376, 380; *parvum* 377; *pruinatum* 185, 186; *tropicum* 1162-1164
Chytridium 954
Chytriumyces 1157; *appendiculatus* 1157; *hyalinus* 1029
Ciboria 1111
Cienkowskia reticulata 223
Cintractia 680-682; *calderi* 681, 682; ***fuirenae*** **680**, f 681; *leucoderma* 681, 682; *subinclusa* 681, 682; *taubertiana* 681, 682
Cladonia subg *Cocciferae* 734; *cristatella* 734; *polycarpoides* 734
Cladosporium 87-98, 833, 834, 1167; *cladosporoides* 377, 1167; *cucumerinum* 88, 95, 96; *herbarum* 88, 89, 95, 96, 376, 379; *lignicola* 376, 379; *musae* 95; *werneckii* 541, 544, 545
Clastoderma 226, 229, 230; *debaryanum* 223, 224, f 225, 226, f 227, 228
Clathridium massarinum 819
Clavaria 549, 821, 1111; subg *Ramariopsis* 549; *asperula* 558; *asterella* 558; *biformis* 558; *crocea* 559; *exigua* 558; *favreae* 555; *kunzei* 549, 550; *lentofragilis* 558; *luteo-ochracea* 558; *minutula* 557; *propera* 550, 552; *pseudosubtilis* 558; *rufipes* 558; *subcaespitosa* 558; *tenella* 551; *tenuicula* 551, 552; *vestitipes* 551, 558
Clavariadelphus junceus 997, 1000
Clavatospora 179; *stellata* 179, 180; ***stellatacula*** 177-178-180, f 178
Claviceps 572
Clavicornia 999-1002; *divaricata* f 1000, 1001, 1002; *pyxidata* f 1000, 1001, 1002
Clavulinopsis 549, 552; *propera* 550; *subtilis* 553; *tenuicula* 552
Clitocybe 1110, 1111; *albirhiza* 1109, 1111; *connatum* 1115; *cyathiformis* 1115; *ericetorum* 1113, 1114; *fel-loides* 1114; *fragrans* 1111; *gibba* 821; *rivulosa* 1111; *sinopica* 1111; *vermicularis* 1111
Cochliobolus 24, 71, 1038; *carbonum* 799-807; *heterostrophus* 800, 805; *kusanoi* 1038; *nodulosus* 1038; *sativus* 799, 805
Coleosporium campanulae 821; *vernoniae* 985
Colletotrichum 902-914; 967; *dematium* 822; *gleosporioides* 139, 141, 902,

- 903, 906-913; *gossypii* 987, f 988, 990, 993; *lagenarium* 382-386; *orbiculare* 1140
- Collybia* 1001; *acervata* 1111; *apalysarca* 162; *asema* 1111; *bakerensis* 1115; *cookei* 1109, 1115; *dryophila* 821; *maculata* 1110; var *scorzoneria* 985; *racemosa* 1110; *subsulcatipes* 1110; *tuberosa* 1114
- Coltricia* 647; *cinnamomea* 647, 650; *focicola* 650; *perennis* 650; ***pseudocinnamomea* 647, f 649, 650**
- Coltriciella dependens* 650
- Comatricha* 223, 228; *fimbriata* 223; *irregularis* 223; *laxa* f 222, 223; *nigra* 231, 233, 1113; *nodulifera* 223, 231, f 231, 233; *pacifica* 1113; *typhoides* 223, 819
- Coniochaeta* 270; *pulveracea* 819
- Coniothyrium* 377, 379, 833; *fuckelii* 1167
- Conocybe tenera* 1111
- Cookeina* 290, 301; *tetraspora* 297; *venezuelae* 290, 304
- Coprinus* 884, 1001; *atramentarius* 417; *comatus* 1111; *lagopus* 162, 164; *quadrifidus* 821
- Coprobia* 103
- Coprotus* 113
- Cordana* 56; *pauciseptata* 1167
- Cordyceps* 885
- Coriolus versicolor* 821
- Corollospora* 176; *maritima* 176, 179
- Corticium* 920; *bombycinum* 843; *confluens* 843; *coronilla* 59; *evolvens* 1166; *koleroga* 781; *ochroleucum* 781; *radiusum* 60; *stevensii* 781; *tenuis* 920; *torquatum* 917, 920, 921
- Cortinarius* 526-536, 1107, 1110, 1111; subg *Bulbopodium* 528; *alboviolaceus* f 202; *aleuriomus* 1111; *arquatus* 1111; *bigelowii* f 530, 531; *calochrous* 1114; *cinnamomeus* 1110; *cotoneus* 1111; *glaucoopus* 1110; *infractus* 1111; ***magnivelatus* f 530, 534, 535**; *obtusus* 1111; *pinetorum* 531, 535; *scaurus* 1111; ***velatus* 532, 533**; ***verrucisporus* 533**; ***wiebeae* 528, 529, 535**
- Craterellus taxophilus* 1001
- Crepidotus* 819; *alabamensis* 821
- Cribraria microcarpa* 819
- Cristella farinacea* 843
- Cronartium ribicola* 823
- Crucibulum levis* 606-613, 821, 1115
- Cryptococcus* 754, 757; *albidus* 753, 755, 757, 761; *laurentii* 544; *luteolus* 376; *neoformans* 377, 538, 540-544, 546
- Cryptoporus volvatus* 1115
- Culcitalna achraspora* 180
- Cunninghamella* 456
- Curvularia* 95, 377, 379, 833, 1021; *coicis* 1031-1040, 1032
- Cyathipodia corium* 1111
- Cyathus stercoreus* 1001; *striatus* 819, 821
- Cylindrocarpon cylindroides* 377, 378
- Cylindrocephalum* 1167
- Cylindrocylindrium* 957-959 961, 964; *candelabrum* 958; *floridanum* 957, f 959, f 960, f 963, 957-966; *scoparium* 957-916
- Cystidiophorus* 357; *castaneus* 362
- Cystoderma fallax* 1111
- Cytidia flocculenta* 843; *salicina* 843
- Dacryopinax spathularia* 821
- Dactylaria haptotyla* 377
- Daedalea unicolor* 841
- Daldinia* 861; *concentrica* 819
- Dangeardia sporapiculata* 1157
- Dasyscyphus* 1113; *bicolor* 1113
- Dasyscypha emiliae* 351; *recedens* 349
- Davisomycella* 396, 397; *fragilis* 397; *lacrimiformis* 397; ***ponderosae* 396**
- Debaryomyces* 757
- Deightonella* 95; *torulosa* 726, 729
- Delastreopsis* 172
- Delitschia* 580, 582, 584
- Dendrothele nivolum* 821
- Dendryphiella salina* 759
- Dermocystidium* 468-472; *marinum* 468
- Dezmazierella acicola* 380, 689
- Diaporthe hydrangeae* 819
- Diatrype stigma* 819, 822
- Dictydium cancellatum* 819
- Dictyomorpha dioica* 586
- Dictyuchus monosporus* 251-263
- Diderma chondrioderma* 224; *effusum* 224; *hemisphaericum* 223; *spumarioides* 1111
- Didymium* f 233, 235, 635-639; *difforme* 223, 638; var *comatum* 221; *du-bium* 638; *iridis* 223, f 233, 235, 784, 797; *listeri* 638; *melanospermum* 795; *nigripes* 223, 784, 795; *quitense* 638, 639; ***rugulosporum* 636, f 637**; *squamulosum* 223; *trachysporum* 223
- Diplocladium cylindrosporium* 958
- Diplodia gossypina* 987, f 988, 990, f 991, f 992
- Discina* 614-630; *ancilis* 624, 626, 628; ***apiculatula* 616, f 617, 624, 628**; *convoluta* 620, 621, 622; *helvetica* 619; *leucoxantha* 618, f 619, 620, 621, 622, 624; var *fulvescens* 616, 620-622; var *leucoxantha* 616; *macrospora* 615, 616, 622, f 623, 624, 628, 629; *olympiana* 618, f 619,

- 624-626, 628; var *diluta* 616, 625; var *olympiana* 616; *perlata* 615, 616, 624, 626-629; *warnei* 616, f 619, 624, 628, 629
- Doratomyces stemonitis* 377
- Dothidea collecta* 746; *lauri borboniae* 838, 840
- Dothiora schizospora* 746
- Drechslera* 24, 1032; *coicis* 1032; *gigantea* 822; *graminea* 1039; *kusanoi* 1034; *leucostyla* 1037; *nodulosa* 1037
- Ductifera pululahuana* 821
- Durandiella* 431
- Echinostelium* 220, 227-230; *cribrarioides* 223; *elachiston* 223; *minutum* f 222, 223, f 227, 228
- Eichleriella* 82; *macrospora* 821
- Elaphomyces* 170; *cyanocephalus* 171; *muricatus* 173; *papillatus* 173; var *sulphureopallidus* 173; *persoonii* var *minor* 171; *sulphureopallidus* 173
- Elsinoe* 273-280, 1124; *alyxiae* 273, f 274; *fawcettii* 1138, 1140; *lagenariae* 273, f 274; *spondiadis* f 274, 275, f 278; *wisconsinensis* 1124, 1125, f 1126, f 1128, 1129, f 1131, f 1132, f 1133, 1134, f 1135, f 1137, 1138, 1139, 1140
- Emericellopsis* 718, f 720, 718-725; *glabra* 718; *humicola* 719, f 720, 722; *microspora* 719, f 720, 722; *minima* 719; *mirabilis* 719; *pusilla* 719, 722; *salmosynnemata* 719; *synnematicola* 719, 724; *terricola* 718, f 720
- Emmonsia* 185; *brasilensis* 185, 186; *cierrina* 185, 186; *crecens* 185; *parvum* 185
- Endogone* 408, 413; *lactiflua* 412-414
- Entomosporium* 1127
- Ephelis* 572, 573, 579
- Epicoccum nigrum* 376
- Epidermophyton* 511; *floccosum* 541, 544, 545
- Eremascus* 281; *albus* 281-288; *fertilis* 281
- Escherichia coli* 787, 1169
- Exidia alba* 821; *glandulosa* 322; *nucleata* 415, 417; *recisa* f 417, 415-418
- Exidiopsis* 77-80; *alliciens* 80; *candida* 80; *glaira* 80; *griseo-brunnea* 79, 80; *macroacantha* 77-80, f 79; *macrospora* 80; *tremellispora* 80-83
- Exobasidium* 1159
- Favolus alveolaris* 821
- Fayodia maura* 1111
- Fimaria* 106, 112
- Flagelloscypha faginea* 821
- Flagellospora* 177, 180
- Flammula carbonaria* 1111
- Flammulina* 162, 163; *velutipes* 149-166
- Fomes* 320; *cajanderi* 841; *fomentarius* 319, 841; *fraxinophilus* 821; *johnsonianus* 821; *nigrolimitatus* 841; *officinalis* 1115; *pini* 841; *pinicola* 319, 320, 322, 329, 841, 1115; *viticola* 821
- Fomitopsis ohioensis* 822
- Fuligo cinerea* 223; *intermedia* 1111; *septica* 223, 819, 1113
- Fulvifomes robiniae* 821
- Fusarium* 482, 484, 541, 987, f 988, f 989, f 990, 993, 1167; *culmorum* 899; *oxysporum* 377, 1167; *roseum* 377, 380; *solani* 1167
- Fusicoccum bacillare* 380
- Fusidium* 833, 834
- Galerina* 527; *clavus* 1111; *lateritia* 1111; *marginata* 1111; *nana* 1111; *subochracea* 1111
- Galiella rufa* 819
- Ganoderma applanatum* 821, 841, 1115; *lobatum* 821
- Gastrum coronatum* 1110
- Gelasiospora* 270
- Genea candida* 171; *cerebriformis* 171
- Geodina* 290
- Geopora* 171; *harknessii* 171; *schackii* 171
- Geopyxis carbonaria* f 202, 1111
- Geotrichum* 473; *candidum* 473, f 477, 473-480, 541
- Gibberella zeae* 481-485
- Gliocladium catenulatum* 376; *roseum* 376, 380; *viride* 1167
- Gliomastix murorum* var *felina* 376, 380
- Gloeocystidiellum* sect *Stephanocystis* 920
- Gloeocystidium caliciferum* 915, 920; *pallidum* 917; *praetermissum* 919
- Gloeoporus dichrous* 821
- Gloeosporium* 902-914; *musarum* 902, 903, 906-912
- Glomerella cingulata* 139
- Gloniopsis praelonga* 819
- Glonium abbreviatum* 819; *clavisporum* 819, 822
- Gomphidius* 203; *rutilus* 1110; *subroseus* 1114
- Gonapodya* 422, 424, 425; *polymorpha* f 423, 424
- Graphium* 1167
- Guepiniopsis alpina* 1115; *minuta* 1115
- Gymnopilus* 527; *bellulus* 1111

- Gymnosporangium 401; clavipes 985;
cornutum 401; gaeumannii 401-404;
ssp albertensis 402, f 403, 404;
nootkatense 401; paraphysatum
401; tremelloides 1115
- Gyrocraera 171
- Gyrodon meruloides 821
- Gyromitra esculenta 624, 1110
- Gyroporus castaneus 821; cyanescens
821
- Halosphaeria mediosetigera 176, 405
- Hapalopilus rutilans 821
- Harpographium 1167
- Hebeloma 527, 1110, 1111, 1113; colvini
1111; crustuliniforme 1114; longi-
caudum 1111; mesophaeum 1114;
pusillum 1111; sinapizans 1111; sor-
didulum 1111
- Helicoma curtisii 822
- Helicostylum 586, 591; pyriforme 869
- Heliscus 179; aquaticus 179; lugdunen-
sis 179; stellatus 179; submersus
179
- Helminthosporium 24, 52, 71, 376, 379,
661, 668, 723, 1031, 1032; subg
Cylindro-Helminthosporium 1031;
subg Eu-Helminthosporium 1031;
sect Cylindro-Helminthosporium
661; sect Eu-Helminthosporium
661; capitulum 52, 53; carbonum
800; coicis 1031, 1032, 1034; cyno-
dontis 666; hadrotrichoides 1032,
1035; kusanoi 1032, 1034; leucosty-
lum 1035, 1037, 1038; nodulosum
1032, 1037; oryzae 661-669; vesi-
carium 9
- Helotium 426; citrinum 819; epi-
sphaerium 819
- Helvella gigas 614; infula 628
- Hemileia vastatrix 633
- Hemitrichia clavata 793, 795, 819, 1113;
stipitata 1113; vesparium 819
- Hericium laciniatum 821; ramosum 821
- Herpotrichia pezicula 819
- Heterochaete 77, 82, 83; **hirneoloides**
80, f 81; tremellispora 80
- Heterochaetella dubia 80
- Hirneolina 82; hirneoloides 80
- Hirschioporus pargamensis 821
- Histoplasma capsulatum 538, 540, 544,
546
- Hormodendrum 833, 834, 1167; compac-
tum 541; olivaceum 376; viride 376,
379
- Humaria 426; hartmannii 298; hemi-
sphaerica 819
- Humarina 426; cookeina 426-429, 430
- Humicola 1167, 1174, 1175; grisea var
thermoidea 123-126, 1173; insolens
120-126, 1172-1174; lanuginosa 124-
126, 1167, 1172, 1173, 1174; nigres-
cens 376; stellata 121-126, 1172-
1174
- Hyaloria pilacre 83, f 84
- Hydnocystis arenaria 171; beccari 171
- Hydnotrya 173; carnea 171; intermedia
171; jurana 171
- Hydnotrya tulasnei 173
- Hydnum auriscalpium 843; imbricatum
843, 1112
- Hygrophorus 1109, 1112; agathosmus
1112; calophyllus 1110; camaro-
phyllus 1112; chrysodon 1113;
1114; erubescens var erubescens
1112; fragrans 1110; marzuolus
1112; morrissii 1110; odoratus
1112; purpurascens 1112; subalpi-
nus 1112
- Hymenochaete rubiginosa 821
- Hymenogaster 527, 528
- Hymenoscyphus 426-430; **cookeina**
f 427, 429, f 429
- Hyphoderma f 916, 918, 920; sect Ste-
phanocysts 918, 920; clavigerum
821; guttuliferum 915, 917; hetero-
cystidium 821; puberum 821, 915,
f 916, 917, 920; setigerum 821, 919;
tenue 915, f 916, 917-919, f 919, 920
- Hyphodontia 1165, 1166; arguta 821;
sambuci 821
- Hypochmus bresadolae 675; f micro-
spora 674
- Hypocopra 580, 582, 584; equorum 861
- Hypocrea 315, 316, 328, 329; aurantiaca
819; citrina 315-331; var **ameri-
cana** f 321, 320, 322, f 323, 324,
f 325, 326, f 327, 328; var citrina
318, f 321, 322, f 323, 324, f 325, 326,
f 327, 328; var fungicola 317; f
fungicola 317, 318, 319; fungicola
317, 318, 320, 329; gelatinosa 328,
819; karsteniana 317, 318, 319;
lactea 316-318, 322; latizonata 819;
pulvinata 316, 317, 318, 319, 320,
329; schweintzii 328, 329; spinu-
losa 328, 329; sulphurea 322
- Hypocrella 1068
- Hypocreopsis tremellicola 819
- Hypodermella ampla 396
- Hypoxylon 861, 1049, 1050; atropunc-
tatum 819; fragiforme 819; fuscum
1093; papillatum 819; punctatum
819; punctulatum 861; rubiginosum
1166; tinctor 861
- Hysterangium 115-119; cistophilum
118; clathroides f 117, 118; crassum
118; nephriticum f 117, 118; sepa-
rabile 115-119, f 116
- Hysterographium kansense 819; mori
819

- Inocybe* 1107, 1109, 1110, 1112, 1114;
agglutinata 1112; *cinnamula* 1110;
fastigiata var *argentata* 1112; f
arenicola 1112; *geophylla* 1112;
lanuginosa 1112; *lilacina* 1112; ob-
lectabilis f *deceggibosa* 1112;
sororia 1112; *tenerella* 1112; *xan-*
thodisca 1112
Inoloma 530, 531, 535
Inonotus dryadeus 821
Iodophanus 106, 107; *carneus* 819
Isaria farinosa 822
Isoachyla 1007

Keratinomyces ajelloi 1175-1177
Koleroga noxia 781
Kuehneromyces 1112; *vernalis* 1112

Laccaria amethystina 1112; *laccata*
1113; 1114
Lachnea crispata 295
Lactarius 203, 821; *deliciosus* 1114;
mucidus 1112; *sanguifluus* 1114;
vietus f 202
Lactobacillus viridescens 1169
Laetiporus sulphureus 821
Lagenidium pygmaeum 506
Lamproderma 229; *sauteri* 1113; *scin-*
tillans 223
Lasiosphaeria coacta 819; *hispida* 819;
multiseptata 819
Laxitextum bicolor 821
Leciographa 1113
Lentinellus flabellinum 1115; *vulpinus*
821
Lentodium squamulosum 830, 831
Lenzites saepiaria 841, 1166; *sepiaria*
1115
Leotia lubrica f 202
Lepiota rubrotincta 821
Leptolegniella 503, f 503; *exoosporus*
504; *keratinophilum* 503; *piligena*
504
Leptomitius lacteus 951
Leptopeziza groenlandica 431
Leptopuccinia schistocarphae 353
Leptosphaeria bellyncki 819; *licatensis*
819
Lespiaultinia 172; *oligosperma* 172
Letharia 731-736; *californica* 731, 733,
734, f 735; *vulpina* 731, 732, 733,
735, 736
Leucogyrophana 365
Leuconostoc mesenteroides 953
Leucopaxillus albissimus var *lentus*
1112; *giganteus* 1112
Licea 223, 224; *biforis* 223, 224; *casta-*
nea 223; *minima* 223; *parasitica*
223; *punctiformis* 223; *tuberculata*
223

Lindra 486-495; *inflata* 488, 490; *mari-*
nera 486, 488-495, f 489, f 491;
thalassiae 486, 487, 488, 490, 492,
493, 494
Lipomyces starkeyi 377
Lophiostoma desmazierii 819
Lophodermium 396, 397, 1114; *pinastri*
397, 1113; *ponderosae* 396
Lulworthia 176, 488, 492, 494; *floridana*
488, 494
Lycoperdon oblongisporum 821; *perla-*
tum 821, 1041; *roseo-carneum* 1120,
1122, 1041; *tabellatum* 1118; *um-*
brinum 821, 1112
Lyophyllum 1110, 1112, 1114; *atratum*
1112; *montanum* 1112

Macbrideola decapillata 223, 224
Macrochytrium 954
Macrosporium 4; *alliorum* 9; *caepicola*
9; *commune* 1; *globuliferum* 14;
parasiticum 1-3, 9, 11; *sarcinula* 1,
3; *sarcinula* var *parasiticum* 9;
vesicarium 9
Malbranchea pulchella var *sulfurea*
120, 124-126, 1173, 1174
Marasmius 202, 1112; *albipilatus* 1112;
alliaceus 1114; *androsaceus* 1114;
delectans 821; *glabellus* 821; *scoro-*
donius 1112; *siccus* 821
Masoniella 833
Melanoleuca 1112
Melanophyllum echinatum 821
Melanospora 380; *ornata* 377; *parasitica*
377; *zamia* 819
Memnoniella 95
Merulius 357-372; *aurantius* 358, 359,
363, 371; *aureus* 365; *candidus* 359;
carbonarius 359, f 360, 361; *cas-*
taneus 357, f 360, 362; *conchoides*
359, 363; *consimilis* 363, 364; *cor-*
ium 358, 359, 363-365, 368, 371; var
pallens 364; *crassus* f 360, 365;
debriscolus 366; *erectus* f 360, 366;
fuscus 366, f 367, 368; *gelatinosus*
f 367, 368, 369; *molluscus* 366, 843;
ochraceus 359, f 370, 371; *pallens*
364, 365; *rufus* 362, 365, 368, 369;
succineus 359, 371; *tremellosus* 357,
365, 368, 821, 1166
Micromonospora chalcea 127
Micropuccinia emiliae 351; *expansa*
348; *recedens* 351; *schistocarphae*
353
Microsporium 511; *canis* 541, 543-545;
fulvum 511, 516; *gypseum* 511-517,
f 512, f 514, 541, 544, 545
Mindeniella 953, 954; *spinospora* 947,
951-953
Mollerella 1068
Mollisia cinerea 819

- Monilia* 264; *sitophila* 1083
Monilia 332
Monoblepharella 47, 422, 424
Monoblepharis 424
Monocillium indicum 377
Monosporium apiospermum 541
Morchella esculenta 1114
Mortierella 833, 834
Mucor 541, 863, 866, 869, 871, 894, 895, 900, 901, 954, 1166; *aromaticus* 871, 872; *bacilliformis* 897; *circinelloides* 897, f 899, 900; *dispersus* 866, 867, 869; *fragilis* 895; *genevensis* 894, 897, 899, 900; *griseo-cyanus* 897, f 899, 900; *hiemalis* 376, 379, 380; *indicus* 897, 900; *jansseni* 897, f 899, 900; *lamprosporus* 866, 867, 869; *mephitis* 869-872, f 869; *miehei* 124-126, 1173; *mucedo* 897, f 899, 900; *petrinsularis* 871; *pseudolamprosporus* 872; *pusillus* 124-126, 1173, 1174; *racemosus* 895, 897; *ramannianus* 376, 379, 380; *rouxii* 894, 895, 897, f 900; *sphaerosporus* 377
Muribasidiopsis 1159, 1160; *celtidis* 1160; *hesperidium* 1160; *indica* 1159, 1160
Muribasidiopsoraceae 1159
Mutinus caninus 821
Mycena 202, 1109; *abramsii* f 202; *ambilissima* 1114; *aurantioidis* 1112; *capillaris* 1110; *constans* 1112; *debilis* 1112; *elegantula* 1115; *fibula* 1110; *fuliginella* 1112; *haematopoda* 821; *haematopus* 1112; *laevigata* 1112; *leaiana* 821; *leptocephala* 1112; *megasporea* 1110; *minutissima* 1112; *monticola* 1114; *occidentalis* 1112; *oregonensis* 1112; *pseudolactea* 821; *pseudotenax* 1112; *pura* 1114; *rugulosiceps* 1112; *speirea* 1114; *stannea* 1112; *strobilinoides* 1112; *subcucullata* 1110; *subsupina* 1115; *tenella* 1114; *vulgaris* 1112
Mycosphaerella 833; *killiani* 746; *tassiana* 746; *typhae* 746
Mycotorula 763
Myricococcum albomyces 123-126, 1173
Myrmecocystis californica 171; *vallisumbrosae* 171; *vallumbrosae* 171
Myrothecium 994; *verrucaria* 991
Mystrosporium alliorum 9

Naemaspora sulphurea 316, 317, 318, 319
Nannizzia 593-605; *gypsea* 511, f 512, f 514; *incurvata* 593-605, f 595, f 597, f 599, f 600, f 602
Naucoria 821; *pattersonae* 1112
Nectria 328, 329; *peziza* 819

Neogyromitra gigas 618
Neopecticia coulteri 1114
Neottiella hetieri 1111
Neurospora 71, 456, 799, 805, 1077-1084; *africana* 268, 270, 271, 1077, 1079, 1082-1084; *crassa* 899, 1083; *dodgei* 264-266, f 267, 268-271, 1077, 1079, f 1079, 1082-1084; *erythraea* 1083; *galapagosensis* 265, f 267, 269-271, 1077, 1079, 1082-1084; *intermedia* 1083, 1084; *lineolata* 1079, f 1079, 1080-1083; *phoenix* 1083; *sitophila* 270, 1083, 1084; *terricola* 264, 271, 1079, 1082, 1083; *tetrasperma* 270, 271, 1083, 1084
Nigredo senecenicola 342
Nigrospora 95; *oryzae* 987, 990, 992, f 993, 994
Nocardia asteroides 541, 542
Nummularia repanda 819

Octospora 426
Odontia brinkmanni 59; *spathulata* 821
Oedemum didymum 1167
Oedocephalus 376
Oidiodendron flavum 377; *maius* 377; *tenuissimum* 376, 379, 380
Oidium album 822; *aureoflavum* 822
Oligonema flavidum 819
Olpidiopsis 499, 501, f 501; *aphanomyces* 497, 499, 501, f 503; *fusiformis* 501; *luxurians* 497, 499, 501; *zopfii* 501
Omphalina ericetorum f 202
Orbilina crenato-marginata 819; *luteorubella* 819
Otidea dochmia 302; *domingensis* 293; *hirneoloides* 303
Oudemansiella canarii 162; *radicata* 821
Oxydantia chrysorhiza 821
Ozonium auricomum 1054

Pachyella 106
Paecilomyces 1167; *carneus* 376; *coscus* 376; *elegans* 377; *farinosus* 376; *marquandii* 377; *parvus* 377; *simplex* 377; *variotti* 1167
Panaeolus campanulatus 1113
Panus tigrinus 830-832; *var squamulosus* 831; *var tigrinus* 831
Patella 426
Paxillus 1107; *panuoides* 1115
Paxina recurvum 1114
Pellicularia 781, 821; *chordulata* 821; *koleroga* 781
Penicillium 380, 456, 541, 560, 561, 569, 833, 834, 1167, 1171; *baarnense* 377; *brevi-compactum* 377; *canadense* 376, 380; *canescens* 377; *chermisium* 377; *chrysogenum* 377, 1174; *citrinum* 376; *claviforme* 377; *cory-*

- lophilum, 377; cyclopium 377; decumbens 377; duclauxi 377; expansum 376; felutinum 377; frequentans 376, 379, 380; funiculosum 377; granulatum 376; janthinellum 380; jenseni 377; kapuscinski 377; lilacinum 377; martensii 377; melinii 377; nigricans 376, 379, 380; notatum 376, 380; oxalicum 376, 380; piscarium 377; puberulum 377; pusillum 377; raciborskii 377; raistrickii 376; roqueforti 377; spinulosum 380; steckii 377; thomii 376; velutinum 377; viridicatum 377
Peniophora 920, 1165; *aspera* 821; *aurantiaca* 843; *byssoides* 844; *compta* f 916, 917; *filamentosa* 821; *gigantea* 1166; *longispora* 822; *media* 844; *polygonia* 844; *praeternissum* 920; *subserialis* 844; *tenuis* 915
Perichaena corticalis 819
Periconiella 95
Peridermium harknessii 398-400, f 399, 1115
Peronospora parasitica 251
Pestalotia truncata 377, 379
Peziza 107; *alutacea* 302; *ancilis* 628; *bufonia* 1111; *cinerea* 109; *cordovensis* 302; *crispata* 295; *dochmia* 302; *domingensis* 292, 293; *fluctuans* 626; *hartmannii* 298; *hirneoloides* 303; *inaequalis* 303; *leucoxantha* 620; *perlata* 616, 620, 626; *sylvestris* 1111; *violacea* 1111; *warnkei* 629
Pezizula pelletieri 108
Phaedropezia 290, 291, 297
Phaeocollybia 527
Phaeocyphellopsis ochracea 822
Phakospora formosana 823
Phallus ravenelii 606-613, 822
Phellinus conchatus 822; *ferruginosus* 822; *gilvus* 822; *punctatus* 822
Phellorina strobilina 1118
Phellostroma 1066; *hypoxylodes* 1066, f 1067, 1070; *tsugae* 1066-1071, f 1067, 1068, 1069, 1070
Phialocephala bactrospora 1167
Phialophora 1167; *americana* 1167; *fastigiata* 1167; *heteromorpha* 1167; *lagerbergii* 1167; *melinii* 1167
Phialophoraphoma littoralis 377, 379
Phillipsia 289-304; *brasiliensis* 297; *carminea* 290, 292, 302; *carnicolor* 298, 300, 302; *chardoniana* 293, 295, 302; *costaricensis* 292, 293, f 294, f 299, 300, f 301; *crispata* 293, f 294, 295, 296, f 299, f 301; *dochmia* 290, 292, 297, 302, 303; *domingensis* 293, f 294, 295, 296, f 299, f 301, 302, 303; *gigantea* 292, 303; *hartmannii* 293, f 294, 298, f 299, 300, 302; *hirneoloides* 290, 292, 303; *lutea* 292, f 294, 296, 297, f 299, f 301; *straminea* 297; *tetraspora* 303; *venezuelae* 304
Phlebia 357-372; *albida* 1115; *castanea* 361, 362, 369; *livida* 822; *meruloides* 362, f 367, 369; *subalbida* 1115
Phlogiotis helvelloides 1113
Phlyctochytrium 504, 1021-1030, 1149; *bullatum* 504; *circulidentatum* 1022, f 1023, f 1027, 1028, 1029; *furcatum* 1154; *hirsutum* 1157; *irregulare* 1029; *longicollum* 504, 505; *multidentatum* f 1023, 1025, f 1027, 1028, 1029; *papillatum* 504; *planicorne* 1028; *punctatum* 1154; *reinboldtae* 1154; *vaucheriae* 1156, 1157
Pholiota 535; *magnivelatus* 534, 535; *squarrosodiposa* 1113
Phoma 376, 379, 833, 834
Phycomyces 162, 163; *blakesleeana* 587-590, 592, 1168-1171
Phyllachora 838-840; *catesbyana* 840; *gratissima* 838; *perseeae* 838, f 839
Phyllactinia corylea 182; *corylea* var *subspiralis* 182, 183; *dalbergiae* 182, f 182, 183; *subspiralis* 182, 183; *yardwoodii* 183
Phyllocrea 746
Phyllosticta asiminea 822
Phymatotrichum 1054, 1055; *omnivorum* 1054-1059, f 1055, f 1056
Physarella oblonga 223
Physarina echinospora 223
Physarum auriscalpium 223, 224; *bigramii* 223, 235; *cinereum* 223, 233; *compressum* 223, f 232, 233, 234; *crateriforme* 224; *didermoides* 223, f 233, 234; *flavicomum* 223, 234; *globuliferum* 223, 235, 819; *gyrosum* f 222, 223; *leucophaeum* 223; *leucopus* 223, 1113; *nicaraguense* 223, f 232, 233; *nucleatum* 223; *nudum* 223; *nutans* 819; *oblatum* 223; *obrusseum* 236; var *obrusseum* 236; *pezizoideum* 235; *polycephalum* 223, 235, f 236, 236, 237, 797; *pusillum* 223; *rigidum* 223, 234; *tenerum* 223; *tesselatum* f 233, 234
Phytophthora 50, 1097, 1104; *erythro-septica* 41; *infestans* 251, 836, 967; *megasperma* 30; var *sojae* 30, 835-838; *omnivora* 251; *parasitica* 30-51; var *nicotiana* 30; *stellata* 391
Piptoccephalis virginiana 586, 588, f 591, 586-592
Pirogaster 1117; *fleischerianus* 1117, 1118

- Pisolithus* 531, 1117, 1118; *tinctorius* 195-198
Pithomyces 95
Placocrea 746
Platypeltella 191-195; ***angustispora*** 191, f 192, f 193; *smilacis* 194
Plectania 683, 684; sect *Plectania* 684, 686; *melastoma* 684-686; ***milleri*** 683, 684, f 685, 686, f 687, f 690; *namfeldtii* 686
Plectospora 199
Plenodomus 1114
Pleospora 1-24, f 10, f 13, f 17, f 19, f 23; *allii* 12; *armeriae* 15, 16; *bjorlingii* 24; *herbarum* 1-8, f 7, 12, 15, 21, 24; var *armeriae* 2, 15; var *herbarum* 2; *infectoria* 24; *lycoperis* 1; *maritima* 21; *pomorum* 1; *sarcinulae* 1
Pleuraea 270
Pleurothecium 1048-1053; *recurvatum* 1048-1050, f 1051, f 1052, 1053
Pleurotus 887-893, 1115; ***cystidiosus*** f 888, **889**, f 891, 892; *corticatus* 887, 888; *dryinus* 887-889, 892; *elongatipes* 1115; *ostreatus* 1041-1047, f 1042
Plicaria leiocarpa 1111
Plowrightia trifolii 746
Pluteus 1115; *cervinus* 822, 1113; *mag-nus* 822; *nigrofloccosus* 1115; *rugosodiscus* 822
Podosordaria leporina 853, 861
Podospora 515, 1010; *anserina* 66, 337, 819, 1008-1011, f 1009; *coronifera* 819; *fimicola* 819; *mutant undulata* f 1009; *mutant zonata* f 1009; *vestita* 819
Polyporus 319, 320, 819; *abietinus* 841, 1115, 1166; *adustus* 841; *alboluteus* 1115; *anceps* 841, 1115; *balsameus* 1166; *betulinus* 319, 320, 322, 329, 841; *biformis* 841; *cinnamatus* 821; *cinnamomeus* 647; *dependens* 650, 651; *dichrous* 841; *elegans* 842; *fractipes* 822; *lapponicus* 842, 1115; *leucospongia* 1115; *melanopus* 842; *nidulans* 821, 842; *pargameneus* 842; *perennis* 1115; *picipes* 822, 842, 1115; *planellus* 842; *radiatus* 842; *resinosus* 320; *schweinitzii* 808-816, 1115; *subcartilagineus* 842; *sulphureus* 317; var *semialbus* 821; *tomentosus* 1115; *tulipiferae* 822, 842; *varius* 822, 842, 1115; *versicolor* 816, 842; *vulpinus* 842; *weirii* 1115
Polystictus versicolor 884
Poria 362; *aneirina* 842; *calcolor* 359; *cocos* 1115; *crustulina* 842; *ferrea* 842; *ferruginosa* 842; *latemarginata* 822; *latitans* 822; *nigra* 822; *nigrescens* 822; *obliqua* 843; *oleracea* 822; *pannocincta* 843; *proxima* 362; *pulchella* 822; *salmonicolor* 843; *sanguinolenta* 822; *spissa* 822; *unita* 822; *versispora* 822
Porogramme calcicolor 359
Poronia 853; *leporina* 861; *oedipus* 853, f 856, f 857, f 859, 853-862; *punctata* 853, 858, f 860, 861
Poronidulus conchifer 822
Protoachlya 1003; *hypogyna* 1003, 1006
Pseudobalsamia 170-172; *carnea* 170, 171; *harknessii* 170, 171; *magnata* 172; *nigra* 170, 171
Pseudobotrytis 56
Pseudocoprinus disseminatus 822
Pseudogenea californica 171; *vallisumbrosae* 171
Pseudoguignardia scirpi 189, 190
Pseudohydnotrya 170, 171; *carnea* 170, 171; *harknessii* 170, 171; *nigra* 170, 171
Pseudohydnum gelatinosum f 202
Pseudolpidium aphanomycis 497
Pseudomonas aureofaciens 455, 458, 463; *chlororaphis* 452-454
Pseudonocardia thermophila 127, 128
Pseudoomphalina 1113
Pseudopeziza 430-433; ***saginae*** 431, f 432, 433
Pseudoplectania nigrella 1114
Psilocybe mutans 831
Pteridiospora 167-169; ***spinosispora*** 167, f 168
Ptychogaster 1165, 1166
Puccinia 340-356, 707, 716, 924-944, 985; *angustata* var *eriphori* 351; *arnicalis* 354; *australis* 942; *axiniphylli* 342, 343; *barroetiae* 933, 935; *basiporula* 926, f 927, f 938, 939; *bric-kelliae* 933, 935; *bruchiana* 929; *cacheutensis* 931; *concinna* 925, 933, f 935; *conglomerata* 341, 346, 347, f 353; *conoclinii* 926; var *conoclinii* f 927, f 938, 940; var ***depressispora*** f 938, **941**; *decora* 936; *dioicae* 1115; *emiliae* 351, 353; *espinosarum* 925, f 927, f 928, 929, 931; *eupatorii* 925, f 928, 929, 931; *expansa* 346, 348, 349; *glomerata* 341, 346-349, f 353; *graminis* 96, 823; *grindeliae* 341, f 351, 354; *helianthi* 346, 717, 823; *hieracii* 341, 354; *hodgsoniana* 925, f 927, f 935, 937; *inanipes* 925, f 927, f 928, 929, 930; *inermis* 925, f 927, f 928, 929; *kuhniae* 925, 933; var ***decora*** f 927, f 935, **936**; var *kuhniae* f 927, 933, f 935, 936; var ***robusta*** f 927, **935**, f 935, 936; *ligulariae* 349; *lobata* 981-986, f 982, f 984; *malvacearum* 981, 985;

- melampodii 341, f 351, 353; melothriacae 942; nardosmiae 346; **obesiseptata** 926, f 938, 939; petasites 348; pinguis 936, 937; piqueriae 943; **potosina** 925, 926-929, f 928; praemorsa 926, f 938, 943; punctata 822; recedens 341, 349, f 351; recondita 88; redempta 925, f 927, 931, f 935; rosea 939; schistocarphae 341, f 351, 353; semota 353; senecionicola 341-343; f 345; senecionis 341, 345-349, f 353; **sinaloana** 925, f 927, f 928, 932; solidipes 925, f 927, 932, f 935; sorghi 717; spegazzinii 926, 942; stenotaphri 198, f 199; subcircinata 345, 346, 349, f 353; subdecora 926, f 927, f 938, 941, 942; substriata var indica 198; syngenesarum 346; tenuis 925, 926, f 928; tolimensis 926, f 938, 943; tranzschellii 347; var fragilipes 347; variolans 354; xanthii 353
- Pycnoporos cinnabarinus* 822
- Pyrenochaeta* 1167; terrestris 127
- Pyrenopeziza* 431; capsulicola 431
- Pyrenophora* 24
- Pythium* 387-391, f 499, f 503, 505, 506, 508, 509, 640, 969, 974, 977, 979, 1096-1105; acanthicum 387; 1097; anandrum 390, 391; aphanidermatum 471; catenulatum 639-641; coloratum 975; debaryanum 507, 969, 975, 1097, 1104; dissotocum 505, 974, 975; graminicola 1096; helicandrum 391; intermedium 640; irregulare 387, 967-980, f 969, f 976, f 977, f 978, 1097, 1104; mamillatum 975; marsipium 507; monospermum 505, 506; multisporum 506; oligandrum 387, 975; paroecandrum 975; polymorphon 975; **prolatum** 387, f 388, f 389, 390, 391; pulchrum 506; pyrilebom 975; rostratum 505, 975; spinosum 387; sylvaticum 251, 640, 641; torulosum 505; ultimum 506, 969, 974, 975, 1097, 1104
- Ramalina stenoclada* 734
- Ramaria* 1107; apiculata 1113; brunnea 1115; conjuncta 1113; gracilis 1113; stricta 822, 1115; testaceoviolacea 1115
- Ramariopsis* 549-559; subg **Laevispora** 557; subg *Ramariopsis* 557; asterella 558; biformis 555, 558; **californica** 553, 554, 557; clavuligera 558; crocea 555, 558; crocea f **conspicua** 555, 558; **flavescens** 554, 558; kunzei 549, 550, 555, 556, 558; var favreae 556, 558; lentofragilis 550, 558; f. **propera** 550; lignicola 557; luteo-ochracea 558; minutula 553, 557; **pseudosubtilis** 552, 553, 554, 557; pulchella 558; rufipes 555, 558; **tenuicula** 552, 553; tenuiramosa 558; vestitipes 558
- Ravenelia* 826-830; breyniae 826, 827, f 828, 829; emblicae 826, 827, f 828, 829; hobsoni 826, 827, f 828, 829
- Rhinochadiella* 1167; atrovirens 1167; elatior 1167
- Rhipidius* 952, 954
- Rhizidiomyces* 34, 48; apophysatus 31, 504, 505
- Rhizoctonia* 775-783; ramicola 776, 777, f 779, 780, 781; solani 775-777, 779, f 779; zeae 776, 777, 779, f 779, 781
- Rhizophlyctidis* 1153, 1154
- Rhizophlyctis rosea* 1149, 1150, f 1152, 1153, 1156
- Rhizophydium* 507, 508, 509; carpophilum 507; coronum 1155, 1156; globosum 507, 509; parasitans f 503, 508; pollinis-pini 507; pythii f 503, 509; sphaerotheca f 503, 507, 508, 1154
- Rhizopogon occidentalis* 1114; rubescens 1113
- Rhizopus* 456, 833, 834, 900, 954; arrhizus 894, 895, 897; nigricans 377, 895, 897; oligosporus 897, f 897; oryzae 895, 946, 954; stolonifer 247, 987, 990
- Rhodophyllus* 1110, 1113; placidus 1113
- Rhodotorula* 541, 754, 757, 1168; aurantiaca 376; glutinis var rufusa 753-756, 758, 769, f 770; minuta 771; mucilaginoso 377, 769; var sanguinea 197; rubra 753, 755, 756, 758, 769, 771; var **miersensis** 753-756, 758, f 770, 771; var rubra 771; texensis 753, 755, 758, 771; var minuta 771; var texensis 771
- Rhodotus palmatus* 822
- Rhyarobium* 833
- Rhytisma acerinum* 1087, 1092, 1094; punctatum 1085-1095, f 1087, f 1091, 1093
- Rosellinia* 861; limoniispora 377
- Rozella* 501; cladocytrii 586; septigena 501, f 501, 503
- Russula* 203, 1110; brevipes var acrior 1110; gracilis f 202; nigricans 1113; xerampelina var elaeodes 1113, 1114; var xerampelina 1113, 1114; zelleri 1114
- Rutstroemia macrospora* 819
- Ryparobius* 109, 113; pelletieri 108; winteri 113
- Saccharomyces* 456, 884, 1166; cerevisiae 755, 756; pastorianus 136

- Saccobolus saccoboloides* 819
Salmonella typhimurium 1169
Saprolegnia 48; *ferax* 41
Sapromyces 251, 950, 953, 954; *androgynus* 947, 951-953; *elongatus* 945-947, 949, 952-954; *reinschii* 251
Sarcoscypha 290, 291, 297, 301; *carminea* 302; *coccinea* f 394, 395; *occidentalis* 819; *tetraspora* 303
Sarcosoma 683, 691; *globosum* 691, 692; *latahensis* f 685, 686, f 687, 688, 689, f 690, 691, 692; *mexicana* f 685, f 687, 689, 691, 692
Sarcosphaera eximia 1111
Schizophyllum commune 62, 71, 822
Schizopora paradoxa 822
Schizosaccharomyces 456
Scirrha 746; *acicola* 746
Scleroderma 1117; sect *Aculeatispora* 1118; *areolatum* 1118; *bovista* 1120; *cepa* 1120; *columnare* 1117, 1118, 1120; *lanosum* 1118, 1120; *leptopodium* 1117, 1120; *nitidum* 822, 1120; *verrucosum* 822, 1118, 1120; f *angustistipitatum* 1120, 1122; *vulgare* 822
Sclerotinia 332-339; *fruticola* 332, 333, f 334, 337; *fructigena* 332, 333, 335-337; *laxa* 332, 333, f 334, 336, 337; f. *mali* 332, 333, 336, 337
Scoliolegnia 1003, 1007; *asterophora* 1005
Scopella gentilis 823
Scopellopsis dalbergiae 631-635, f 633, f 634
Scopulariopsis brevicaulis 541, 544, 545, 726, f 728, 729, 730
Scutellinia scutellata 819
Scytalidium lignicola 1168
Sebacina hirneoloides 80, 82; *incructans* 822; *sublilacina* 822
Selinia 1068
***Semidelitschia* 580, 581-585; agasmat-ica 581, 582, f 583**
Septoria aceris 822
Serpula 357, 364, 365, 368, 369; *crassa* 365; *erecta* 366; *eurocephala* 364, 365; *fusca* 368; *himantioides* 369; *lacrimans* 357, 369; var *carbonaria* 361; var *himantioides* 369, 1115
Shizophyllum commune 1041, 1047
Sistotrema 59, 66-67, 73; *brinkmanni* 57-76, 1166; *raduloides* 1166
Solenia candida 822
Sordaria 270, 580, 582, 584, 994
Spathulospora 1014; *phycophila* 1012-1015, f 1013, f 1014
Sphaceloma 273-280, f 274, 1124; *bucidae* f 274, 276, f 278; *choisyae* f 274, 276; *enallagmatis* f 274, 277; *penstemonis* f 274, 277; *spondiadis* 275, 276; *stemmadeniae* f 274, 279; *wisconsinense* 1124
Sphacelotheca ischaemicola 1072-1076, f 1075; *tanglinensis* 1072, 1073, 1076
Sphaeria subg *Hypocrea* 316; *armeriae* 15; *citrina* 316-318-320; *herbarum* 6; *lactea* 316, 318, 322; *sulphurea* 322
Sphaerosporium lignatile 822
Spicaria 456
Sporendonema purpurascens 729
Sporidesmium stygium 822
Sporobolomyces 96, 761, 1168; ***antarcticus* 753-755, 759, f 760, 761; coprophilus** 761; *coralliformis* 761; *hol-saticus* 761; *odorus* 761; *roseus* 761; *salmonicolor* 761
Sporocytophaga myxococcoides 993
Sporormiella 582, 584
Sporoschisma 55
Sporotrichum 185, 186, 377; *laxum* 184-187; *pruinum* 185; *sthenckii* 541; *thermophile* 120, 123-126, 1168, 1173
Stachyliidium bicolor 377
Stakmania formosana 823-825, f 824
Steccherinum ochraceum 822; *setulosum* 843
Stemonitis 226; *axifera* 819; *flavogenita* 223; *fusca* 223, 819; *herbatica* 223; *hyperopta* 223
Stemphylium 1-26, 834; *allii* 9; *botryosum* 1-16, f 7, f 23, 376, 379; ***globuliferum* 12, f 13, 14, 16, f 23; lancipes** 21, f 22, f 23; ***majusculum* 16, f 17, 18, f 23; parasiticum** 9; *sarciniforme* 12-16; *triglochlinicola* 18-21, f 19, f 23; ***vesicarium* 8, 9-12, f 10, 18, f 23**
Stereum abietinum 844, 1115; *cinerascens* 822; *complicatum* 822; *ostrea* 822; *striatum* 822
Stilbella thermophila 124-126, 1173
Strasseria carpophila 1070
***Strasseriosis* 1066-1071, 1068; tsugae 1069**
Streptomyces 1166; *hygroscopicus* 136-148; *rectus* 127, 128; *thermoviolaceus* var *pingens* 127, 128; *thermoe-vularis* 127, 128; *violaceoruber* 127
Stromatoscypha fimbriata 822
Stropharia ambigua 1113; *semiglobata* 1113
Suillus 1113; *americanus* 1110; *brevipes* 1110; *granulatus* 1114; *lakei* 1114; *luteus* 1114; *punctatipes* 1113; *sibiricus* 1113; *subluteus* 1114; *tomentosus* 1113
Talaromyces duponti 125; *thermophilus* 121, 124-126, 1173, 1174

- Taphrina* 1159; *deformans* 1129, 1139
Terfezia 172; *gennadii* 172
Tetraploa aristata 177
Thamnidium anomalum 869
Thanatephorus 777, 781; *cucumeris* 776, 779, 780; *praticola* 779
Thaxterogaster 526, 528, 529; *fragile* 1113
Thecotheus 99-114; *agranulosus* 105, f 105, 107, 111, 112, 113; *apiculatus* 105-110-111, f 105; *cinereus* 99, f 103, 105-113; *var major* 109; *holmskjoldii* 109; *pallens* 113; *pelletieri* 99, f 101, 105-113; *setisperma* 109; *winteri* 113
Thelebolus 113
Thelephora hirsutoides 80; *multipartita* 822
Thermoactinomyces glaucus 127; *vulgaris* 127
Thermascus 1172, 1174; *aurantiacus* 125, 126, 1166; *miehei* 1173, 1174
Thermomonospora curvata 127, 128; *viridis* 127
Thielaviopsis basicola 726, 729; *paradoxa* 726, f 728, 729
Thraustochytrium roseum 471, 472
Thraustotheca 72
Thyrsopora parasitica 9
Thysanophora penicillioides 377
Tolyposporium christensenii 633
Tomentella 670, 671, 675; *bresadolae* 670-679, 675, f 676, f 677; *epiphylla* 822; *pallidofulva* 822; *ruttneri* 670-679, f 672, f 673; *subferruginea* 822
Torpedospora radiata 405
Torula 833; *thermophila* 123-126, 1173
Torulomyces lagena 376, 380
Torulopsis 754, 755; *famata* 762; *pinus* 377; *psychrophila* 753-756, 758, 760, 761, 762
Trametes heteromorpha 843; *hispida* 843, 1115; *odorata* 843, 1115; *serialis* 843
Trechispora 1054; *brinkmannii* 844, 1054, 1057, 1058; *raduloides* 844; *vaga* 822
Tremella rubromaculata 417
Tremellogaster 1117, 1118
Trichia 793, 795; *affinis* 819; *favoginea* 819
Trichocladium canadense 1168
Trichoderma 1168; *album* 376, 379, 380; *sporulosum* 1168; *viride* 329, 376, 379, 380, 822, 1168
Tricholoma 1113; *flavobrunneum* 1110; *flavovirens* 1114; *imbricatum* 1114; *pardinum* 1113; *saponaceum* 1114; *scalpturatum* 1113; *sejunctum* 1113; *sulphureum* 1110; *vaccinum* 1110; *virgatum* 1113
Tricholomopsis platyphylla 822; *rutilans* 1113
Trichopyton 511, 544; *mentagrophytes* 541, 542, 544, 545; *rubrum* 541, 542, 544, 545; *terrestre* 414; *vanbreuseghemii* 414-415
Trichosporon 754; *byrdii* 767; *cutaneum* 541, 544, 545; *var antarcticum* 753-755, 758, 767, f 768; *var cutaneum* 767; *var multisporum* 767
Trichothecium 96; *roseum* 377
Truncospora ohioensis 822
Tuber 172; *borchii* 173; *var levissimum* 173; *echinatum* 172; *gennadii* 172; *lacunosum* 172; *levissimum* 173; *magnatum* 172; *puberulum* 172; *rufum* 172
Tubeufia cerea 819
Typhula 1000; *phacorrhiza* 997, 1000
Tyromyces semipileatus 822

Ulocladium 4, 1079
Uncinulopsis 182; *subspiralis* 182
Uredo conglomerata 346; *cupressicola* 401
Urnula 686
Uromyces 340-356, 924; *senecionicola* 341-343, f 345
Ustilago 95

Vararia investiens 822
Veligaster 1117-1123; **columnaris** 1117, 1118, f 1119, f 1120; **leptopodium** 1118, 1120, f 1120
Verticicladiella brachiata 1168
Verticicladium 686, 689, f 690; *trifidum* 380
Verticillium 240-250; *albo-atrum* 240, f 242, f 243, f 244, f 246, 250; *can-delabrum* 377; *cellulosae* 377; *lateritium* 377; *nigrescens* 240-250; *terrestre* 376, 380, 1168

Wardomyces 377
Wynnea 290, 291

Xenasma tulasnelloideum 822
Xenospora larvalii 822
Xeromphalina campanella 1113, 1166; *caulicinalis* 1113, 1114
Xylaria 518, 853, 861; *microceras* 819
Xylobolus frustulatus 822
Xylosphaeria hypoxylon 819; *longipes* 819; *polymorpha* 819

Zygopleurage zygospora 819
Zygorhynchus 834; *moelleri* 897, f 898

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

Abies

- Aleurodiscus amorphus* 1115
- Allescheria terrestris* 1166
- Ascocoryne sarcoides* 1166
- Aspergillus* 1166; *fumigatus* 1166
- Aureobasidium* 1166; *pullulans* 1166
- Auricularia auricula* 1115
- Bispora betulina* 1166
- Brachysporiella* 1167
- Byssosclamyces* 1166
- Calcarisporium* 1167
- Cephalosporium* 1167
- Ceratocystis albida* 1166; *picea* 1166
- Chrysosporium* 1167
- Cladosporium* 1167; *cladosporioides* 1167
- Coniothyrium fuckelii* 1167
- Corticium evolvens* 1166
- Cylindrocephalum* 1167
- Fusarium* 1167; *oxysporum* 1167; *solani* 1167
- Gliocladium viride* 1167
- Graphium* 1167
- Harpographium* 1167
- Hormodendrum* 1167
- Humicola* 1167; *lanuginosa* 1167
- Hyphoderma tenue* 921
- Hyphodontia* 1166
- Leciographa* 1113
- Lenzites saepiaria* 1166
- Oedemium didymum* 1167
- Paecilomyces* 1167; *variotti* 1167
- Penicillium* 1167
- Peniophora gigantea* 1166
- Phialocephala bactrospora* 1167
- Phialophora* 1167; *americana* 1167; *fastigiata* 1167; *heteromorpha* 1167; *lagerbergii* 1167; *melinii* 1167
- Polyporus balsameus* 1166
- Ptychogaster* 1166
- Pyrenochaeta* 1167
- Rhinocladiella* 1167; *atrovirens* 1167
- Rhodotorula* 1168
- Saccharomyces* 1166
- Scytalidium lignicola* 1168
- Sistotrema brinkmannii* 60, 1166
- Sporotrichum thermophile* 1163
- Streptomyces* 1166
- Thermoascus aurantiacus* 1166
- Tomentella bresadolae* 675; *ruttneri* 674
- Trichocladium canadense* 1168
- Trichoderma* 1168; *sporulosum* 1168; *viride* 1168

Verticicladiella brachiata 1168

Verticillium terrestre 1168

Xeromphalina campanella 1166

Acer

- Acrothecium scopulae* 53
- Aspergillus fumigatus* 1166
- Bispora betulina* 1166
- Cacumisporium capitulatum* 52, 53; *tenebrosus* 1049
- Cladosporium* 1167
- Corticium evolvens* 1166
- Gliocladium viride* 1167
- Graphium* 1167
- Hypoxylon rubiginosum* 1166
- Merulius tremellosus* 1166
- Penicillium* 1167
- Phialocephala lagerbergii* 1167
- Phialophora* 1167; *americana* 1167; *melinii* 1167
- Pleurothecium recurvatum* 1049
- Pleurotus cystidiosus* 890
- Rhytisma punctatum* 1085
- Septoria aceris* 822
- Streptomyces* 1166
- Tomentella bresadolae* 675; *ruttneri* 674
- Trichocladium canadense* 1168
- Trichoderma viride* 1168

Achlya

- Dictyomorpha dioica* 586
- Olpidiopsis fusiformis* 501

Adenostyles

- Puccinia expansa* 348; *glomerata* 347, 349

Ageratum

- Puccinia conoclinii* var *conoclinii* 940

Agrostis

- Pythium catenulatum* 640

Allium

- Stemphylium vesicarium* 9, 12

Alnus

- Exidiopsis griseo-brunnea* 79
- Hyphoderma tenue* 921
- Peniophora aurantiaca* 843; *polygonia* 844
- Pleurothecium recurvatum* 1049
- Polyporus dichrous* 841; *nidulans* 842; *varius* 842; *versicolor* 842
- Poria ferrea* 842; *ferruginosa* 842
- Tomentella ruttneri* 674

Alomia

- Puccinia conoclinii* var *conoclinii* 940

- Althaea
 Puccinia lobata 981
 Alyxia
 Elsinoë alyxiae 273
 Amaranthus
 Verticillium nigrescens 241
 Angelica
 Plenodomus 1114
 Aphanomyces
 Olpidiopsis 501; aphanomycis 497;
 luxurians 501
 Rozella septigena 501
 Aquilegia
 Stemphylium lancipes 21
 Areca
 Phellostroma hypoxylodes 1066,
 1068
 Argemone
 Stemphylium lancipes 21
 Arnica
 Puccinia arnicalis 354; hieracii 341,
 355
 Asimina
 Phyllosticta asiminae 822
 Aster
 Leptosphaeria licatensis 819
 Axiniphyllum
 Puccinia axiniphylli Arth 343
 Ballia
 Spathulospora phycophila 1012
 Bambusa
 Cerodontha aurea 737
 Merulius consimilis 363
 Pteridiospora 169
 Barroetia
 Puccinia kuhniae var kuhniae 935
 Beilschmiedia
 Hyphoderma tenue 921
 Betula
 Aspergillus fumigatus 1166
 Bispora betulina 1166
 Cacumisporium capitulatum 52, 53
 Cladosporium 1167
 Corticium confluens 843; evolvens
 1166
 Cristella farinacea 843
 Daedalea unicolor 841
 Fomes fomentarius 841
 Gliocladium viride 1167
 Graphium 1167
 Hyphoderma tenue 921
 Hypoxylon rubiginosum 1166
 Merulius tremellosus 1166
 Penicillium 1167
 Phialocephala lagerbergii 1167
 Phialophora 1167; americana 1167;
 melinii 1167
 Pleurothecium recurvatum 1049
 Polyporus betulinus 841; biformis
 841; dichrous 841; nidulans
 842; tulipiferae 842
 Poria crustulina 842; obliqua 843
 Streptomyces 1166
 Tomentella ruttneri 674
 Trichocladium canadense 1168
 Trichoderma viride 1168
 Boletus
 Naemaspora sulphurea 317
 Brickellia
 Puccinia kuhniae var decora 937;
 var kuhniae 935; var robusta
 936; praemorsa 943; subdecora
 942
 Bucida
 Spaceloma bucidiae 276
 Cacalia
 Puccinia expansa 348; glomerata
 349; senecionicola 341, 342;
 tranzschellii 347; var fragilipes
 347
 Campanula
 Coleosporium campanulae 821
 Carex
 Arthrimum kamschaticum 190
 Caulophyllum
 Colletotrichum dematium 822
 Celtis
 Phyllactinia subspiralis 182
 Uncinulopsis subspiralis 182
 Chamaecyparis
 Gymnosporangium nootkatense 401
 Merulius castaneus 362
 Chamaedorea
 Platypeltella angustispora 191
 Choanephora
 Piptocephalis virginiana 588
 Choisya
 Sphaceloma choisyae 276
 Citrus
 Elsinoë fawcettii 1138, 1139
 Cladophora
 Phlyctochytrium bullatum 504
 Cleyera
 Pythium prolatum 388
 Closterium
 Phlyctochytrium circulidentatum
 1022, 1024, 1027
 Coix
 Bipolaris coicis 1034
 Conoclinium
 Puccinia concinna 933
 Crepidotus
 Hypocreopsis tremelicola 819
 Cupressus
 Uredo cupressicola 401
 Cyathus
 Hypocrea latizonata 819

- Cynodon
 Pythium catenulatum 640
 Cyrtococcum
 Balansia claviceps 572
 Dalbergia
 Phyllactinia dalbergiae 183; sub-
 spiralis 182; *yarwoodii* 183
 Scopellopsis dalbergiae 631
 Desmodium
 Elsinoe wisconsinensis 1124
 Sphaceloma wisconsinense 1124
 Diatrype
 Calosphaeria barbirostris 819
 Helicoma curtisii 822
 Helotium episphaerium 819
 Herpotrichia pezicula 819
 Mollisia cinerea 819
 Tubeufia cerea 819
 Xenospora larvalis 822
 Dysoxylum
 Hyphoderma tenue 921
 Eleusine
 Bipolaris nodulosa 1037
 Helminthosporium leucostylum 1038
 Emilia
 Puccinia emiliae 351; *melampodii*
 341, 353
 Enallagma
 Sphaceloma enallagmatis 277
 Eragrostis
 Bipolaris hadrotrichoides 1035; *ku-*
 sanoi 1035
 Helminthosporium leucostylum 1035
 Eupatorium
 Puccinia basiporula 939; *concinna*
 933; *conoclinii* var *conoclinii*
 940; *espinosarum* 930; *eupatorii*
 931; *hodgsonia* 937; *inanipes*
 930; *inermis* 929; *obesiseptata*
 939; *potosina* 929; *redempta*
 932; *rosea* 939; *sinaloana* 932;
 solidipes 933; *tenuis* 926; *to-*
 limensis 943
 Euterpe
 Hyaloria pilacre 85
 Exidia
 Hypocrea sulphurea 322
 Fagus
 Aspergillus fumigatus 1166
 Bisporella betulina 1166
 Cacumisporium capitulatum 52
 Cladosporium 1167
 Corticium evolvens 1166
 Gliocladium viride 1167
 Graphium 1167
 Hyphoderma tenue 921
 Hypoxylon rubiginosum 1166
 Merulius tremellosus 1166
 Penicillium 1167
 Phialophora 1167; *americana* 1167;
 lagerbergii 1167; *melinii* 1167
 Pleurothecium recurvatum 1049
 Streptomyces 1166
 Tomentella ruttneri 674
 Trichocladium canadense 1168
 Trichoderma viride 1168
 Fomes
 Hypocrea citrina var *americana* 320;
 var *citrina* 319
 Fraxinus
 Pteridiospora spinospora 167
 Tomentella ruttneri 674
 Fuirena
 Cintractia fuirenae 680
 Galium
 Puccinia punctata 822
 Glochidion
 Stakmania formosana f 824
 Gossypium
 Verticillium albo-atrum 240
 Grindelia
 Puccinia grindeliae 354
 Helicostylum
 Piptcephalis virginiana 586
 Heyderia
 Gymnosporangium paraphysatum
 401
 Homogyne
 Puccinia conglomerata 346, 347, 348
 Uredo conglomerata 346
 Hydrangea
 Diaporthe hydrangeae 819
 Hypoxylon
 Cacumisporium capitulatum 1049
 Pleurothecium recurvatum 1049,
 1050
 Ischaemum
 Sphaecelotheca ischaemicola 1072;
 tanglinensis 1072
 Juniperus
 Gymnosporangium cornutum 401;
 gacumannii 401; spp *alberten-*
 sis 402, 403; *tremelloides* 1115
 Hyphoderma tenue 921
 Kuhnia
 Puccinia kuhniae var *kuhniae* 935;
 var *robusta* 936
 Lagenaria
 Elsinoe lagenariae 275
 Lathyrus
 Stemphylium majusculum 16
 Laurus
 Dothidea lauri borboniae 838

- Ledum**
Chrysomyxa ledi var. *glandulosi* 695, 702; *ledicola* 695, 701, 709
- Ligularia**
Puccinia glomerata 349
- Liquidambar**
Pteridiospora spinospora 167;
Phlyctochytrium circulidentatum 1022, 1024; *multidentatum* 1025, 1027
Pleurotus cystidiosus 892
- Medicago**
Cylindrocladium scoparium 959
- Melampodium**
Puccinia melampodii 351
- Mikania**
Puccinia spegazzinii 942
- Mougeotia**
Blyttomyces spinulosus 1149
- Nardosmia**
Puccinia nardosmiae 346
- Netrium**
Blyttomyces 1149
- Neurolaena**
Puccinia melampodii 353
- Octotea**
Phyllachora catesbyana 840
- Paguristes (animal)**
Atkinsiella 201
- Pennisetum**
Puccinia stenotaphri 198; *substriata* var. *indica* 198
- Penstemon**
Sphaceloma penstemonis 279
- Persea**
Phyllachora gratissima 838; *perseeae* 838
- Petasites**
Puccinia conglomerata 341, 346, 347; *glomerata* 347, 349; *nardosmiae* 346; *petasites* 348
- Phalaris**
Drechslera gigantea 822
- Phycomyces**
Piptocephalis virginiana 588
- Phyla**
Cercospora lippiae 822
- Picea**
Allescheria terrestris 1166
Alternaria alternata 1166
Ascocoryne sarcoides 1166
Aspergillus 1166; *fumigatus* 1166
Aureobasidium 1166; *pullulans* 1166
Bispora betulina 1166
Brachysporiella 1167
Byssochlamys 1166
Calcarisporium 1167
Cephalosascus fragrans 1166
Cephalosporium 1167
Ceratocystis albidus 1166; *picea* 1166
Chrysomyxa 695; *ledi* var. *rhododendri* 695; *ledicola* 712; *piperiana* 712, 716
Chrysosporium 1167
Cladosporium 1167; *cladosporioides* 1167
Coniothyrium fuckelii 1167
Cordana pauciseptata 1167
Corticium evolvens 1166
Cylindrocephalum 1167
Fomes nigrolimitatus 841; *pini* 841; *pinicola* 841
Fusarium 1167; *oxysporum* 1167; *solani* 1167
Gliocladium viride 1167
Graphium 1167
Harpographium 1167
Hormodendrum 1167
Humicola 1167; *lanuginosa* 1167
Hyphoderma tenue 921
Hyphodontia 1166
Lenzites saepiaria 1166
Mucor 1166
Oedemium didymum 1167
Paecilomyces 1167; *variotti* 1167
Penicillium 1167
Peniophora byssoides 844; *gigantea* 1166; *media* 844
Phialocephala bactrospora 1167
Phialophora 1167; *americana* 1167; *fastigiata* 1167; *heteromorpha* 1167; *lagerbergii* 1167; *melinii* 1167
Polyporus abietinus 841; 1166; *adustus* 841; *balsameus* 1166; *lapponicus* 842
Poria crustulina 842
Phychoaster 1166
Ptychoaster 1166
Pyrenochaeta 1167
Rhinocladiella 1167; *atrovirens* 1167; *elatior* 1167
Rhodotorula 1168
Saccharomyces 1166
Scytalidium lignicola 1168
Sistotrema brinkmannii 1166; *raduloides* 1166
Sporobolomyces 1168
Sporotrichum thermophile 1168
Streptomyces 1166
Thermoascus aurantiacus 1166
Trichocladium canadense 1168
Trichoderma 1168; *sporulosum* 1168; *viride* 1168
Tomentella ruttneri 674
Trametes heteromorpha 843; *odorata* 843; *serialis* 843
Verticilladiella brachiata 1168

- Verticillium terrestre* 1168
Xeromphalina campanella 1166
Pinnotheres (animal)
Atkinsiella dubia 199
Pinus
Clavatospora stellatacula 178
Cryptosporium volvatus 1115
Fomes cajanderi 841
Hydnum auriscalpium 843
Hyphoderma tenue 921, 922
Lenzites saepiaria 841
Lophodermium 1114; *pinastri* 397, 1114; *ponderosae* 396
Merulius castaneus 362; *crassus* 365; *molluscus* 843
Neopeckia coulteri 1114
Peniophora subserialis 844
Peridermium harknesii 1115
Phlyctochytrium circulidentatum 1024
Polyporus anceps 841
Poria salmonicolor 843
Pythium irregulare 969
Sistotrema brinkmanni 60
Tomentella bresadolae 675; *ruttneri* 674
Piqueria
Puccinia conoclinii var *depressipora* 941
Pittosporum
Ceratobasidium ramicola 782
Pellicularia koleroga 781
Rhizoctonia ramicola 780, 781
Polyporus
Hypocrea aurantiaca 819; *citrina* var *americana* 320; var *citrina* 319; *pulvinata* 317
Trechispora brinkmanni 844
Populus
Corticium bombycinum 843
Daedalea unicolor 841
Ganoderma applanatum 841
Hyphoderma tenue 921
Pleurotus cystidiosus 892
Polyporus pargamensis 842; *picipes* 842; *radiatus* 842; *subcartilagineus* 842; *vulpinus* 842
Poria aneirina 842; *furruginosa* 842; *pannocincta* 843
Sistotrema brinkmanni
Steccherinum setulosum 843
Tomentella ruttneri 674
Trametes hispida 843
Trechispora raduloides 844
Prunus
Hyphoderma tenue 922
Pseudotsuga
Fomes pinicola 1115
Pythium
Rhizophydium 508
Quercus
Acrothecium apicale 53; *scopulae* 53
Botryosphaeria quercum 819
Cacumsporium capitulatum 52
Hyphoderma tenue 921, 922
Hysteroglyphium kansense 819
Lophiostoma desmazierii 819
Pleurotus cystidiosus 892
Pteridiospora spinosipora 167
Tomentella bresadolae 675; *ruttneri* 674
Rhizophlyctis rosea
Blyttomyces helicus 1149; *laevis* 1149; *rhizophlyctidis*, 1151, 1152; *spinulosus* 1149
Rhizophydium
Blyttomyces rhizophlyctidis 1155, 1156
Rhododendron
Chrysomyxa 695; *ledi* var *rhododendri* 695, 702; *ledicola* 695; *periana* 695, 697, 699, 709; *roanensis* 695, 698, 703
Rhus
Muribasidiopsis indica 1159
Ribes
Botryosphaeria dothidea 819
Clathridium massarinum 819
Dasyascyphus bicolor 1113
Rosa
Cylindrocladium scoparium 958
Sagina
Pseudopeziza 430-433
Salix
Cytidia flocculenta 843; *salicina* 843
Pleurotus cystidiosus 892
Polyporus planellus 842; *varius* 842
Sargassum
Lindra 486, 487; *marinera* 486; *thalassiae* 492
Schistocarpha
Puccinia schistocarphae 341, 353
Senecio
Puccinia glomerata 341, 347, 349; *recedens* 341, 349, 351; *senecionicola* 341, 342; *senecionis* 341, 345, 347; *subcircinata* 345
Uromyces senecionicola 341, 342, 343
Sesbania
Cylindrocladium scoparium 958
Solidago
Puccinia dioicae 1115
Spirogyra
Blyttomyces spinulosus 1149
Olpidiopsis zopfii 501
Spondias
Elsinoë spondiadis 276

- Stemmadenia
 Sphaceloma stemmadeniae 280
- Tetradymia
 Puccinia grindeliae 341, 354
- Thalassia
 Lindra marinera 488; *thalassiae* 486
- Tilia
 Acrothecium scopulae 53
 Cacumisporium capitalatum 52
 Helminthosporium capitulatum 53
 Tomentella ruttneri 674
- Triglochin
 Pleospora herbarum 21
 Stemphylium triglochinicola 20
 Tomentella ruttneri 674
- Trifolium
 Stemphylium globuliferum 16
- Tsuga*
 Strasserriopsis tsugae 1069
- Tussilago
 Uredo conglomerata 346
- Vaucheria
 Phlyctochytrium vaucheriae 1156
- Verbascum
 Stemphylium vesicarium 12
- Vernonia
 Puccinia pinguis 937
- Vitex
 Hyphoderma tenue 921
- Yucca
 Botryosphaeria philoprina 819
- Zygnema
 Blyttomyces laevis 1149

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LXI, 1969

CONSISTING OF VIII + 1218 PAGES,
INCLUDING FIGURES

LANCASTER PRESS, INC., LANCASTER, PA.

TABLE OF CONTENTS

No. 1. JANUARY-FEBRUARY

Perfect states of <i>Stemphylium</i> , EMORY G. SIMMONS	1
Catherine Gross Duncan (1908-1968), W. E. ESLYN	27
Fine structure of <i>Phytophthora parasitica</i> zoospores, R. E. REICHLE	30
Conidium ontogeny in <i>Cacumisporium capitulatum</i> , R. D. GOOS	52
A reevaluation of homothallism, heterothallism and the species concept in <i>Sistotrema brinkmanni</i> , PAUL ARENZ LEMKE	57
New or noteworthy Tremellales from southern Brazil, KENNETH WELLS	77
Periodicity in spore release in <i>Cladosporium</i> , S. M. PADY, C. L. KRAMER AND R. CLARY	87
North American species of <i>Thecotheus</i> (Pezizeae, Pezizaceae), JAMES W. KIMBROUGH	99
A species of <i>Hysterangium</i> from Idaho attributed to <i>H. separabile</i> , LILIAN E. HAWKER	115
The cellulolytic activity of thermophilic fungi and actinomycetes, C. L. FERGUS	120
Pigment production by <i>Basidiobolus</i> in the presence of tyrosine, J. E. CUTLER AND F. E. SWATEK	130
The production and purification of phytoactin B- ¹⁴ C from <i>Streptomyces hygro-</i> <i>scopicus</i> , S. O. GRAHAM AND S. GURUSIDDAIAH	136
Growth and rotation of <i>Flammulina velutipes</i> fruit bodies and the dependence of stipe elongation on the cap, HANS E. GRUEN	149
Brief Articles	
FILER on a new species of <i>Pteridiospora</i>	167
TRAPPE on Szemere's "Die unterirdischen Pilze"	170
KIRK on lignicolous marine fungi	174
KIRK on aquatic Hyphomycetes on wood in an estuary	177
MUKERJI on powdery mildew on <i>Dalbergia sissoo</i>	181
HOWARD on <i>Sporotrichum laxum</i>	184
POLLACK AND BENJAMIN on <i>Arthrinium</i> spp.	187
FARR AND POLLACK on new <i>Platypteltella</i> from Mexico	191
HILE AND HENNEN on culture of <i>Pisolithus tinctorius</i>	195
SATHE on new rust record on <i>Pennisetum typhoides</i>	198
SPARROW AND GOTELLI on is <i>Atkinsiella holocarpic</i> ?	199
HINTIKKA on freeze-drying of mushrooms with silica gel	202
Reviews	204
Notices	
Mycologia reviewers	216
First AIBS National Biological Congress	217
Errata	218

No. 2. MARCH-APRIL

The experimental approach to the taxonomy of the Myxomycetes, CONSTAN- TINE J. ALEXOPOULOS	219
---	-----

Fine structure of conidia and conidium formation in <i>Verticillium albo-atrum</i> and <i>V. nigrescens</i> , PATRICIA M. BUCKLEY, THOMAS D. WYLLIE, AND JAMES E. DeVAY	240
Sexual reactions between clonal subcultures of a strain of <i>Dictyuchus monosporus</i> , WILLIAM A. SHERWOOD	251
New homothallic <i>Neurosporas</i> from tropical soils, D. P. MAHONEY, L. H. HUANG, AND M. P. BACKUS	264
New species of <i>Elsinoë</i> and <i>Sphaceloma</i> , ALICE J. WATSON AND ANNA E. JENKINS	273
Studies on the growth of the osmophilic fungus <i>Eremascus albus</i> , ROSCOE L. PAUGH AND WILLIAM D. GRAY	281
Central American <i>Pezizales</i> . III. The genus <i>Phillipsia</i> , WILLIAM C. DENISON	289
The effects of various lipids on growth of mycelium of <i>Agaricus bisporus</i> , KENNETH S. WARDLE AND LEE C. SCHISLER	305
Taxonomy and morphology of <i>Hypocrea citrina</i> , SUSAN CAREY CANHAM	315
Cultural characteristics of the brown rot fungi (<i>Sclerotinia</i> spp.), HAYDN J. WILLETTS	332
The autoecious species of <i>Puccinia</i> and <i>Uromyces</i> on North American <i>Senecioneae</i> , JOE F. HENNEN AND GEORGE B. CUMMINS	340
The genus <i>Merulius</i> II. Species of <i>Merulius</i> and <i>Phlebia</i> proposed by Lloyd, JAMES H. GINNS	357
Fungi isolated from decomposing conifer litter, JOHN W. BRANDSBERG	373
Relation of temperature to germination of conidia and appressorium formation in <i>Colletotrichum lagenarium</i> , NORIO ISHIDA AND SHIGEYASU AKAI	382
A new species of <i>Pythium</i> with spiny oogonia, F. F. HENDRIX, JR. AND W. A. CAMPBELL	387
Brief Articles	
KENDRICK on preservation of fleshy fungi	392
DUBIN AND STALEY on <i>Lophodermium</i> (<i>Davisomyces</i>) <i>ponderosae</i>	396
CHRISTENSON on cytology of albino <i>Peridermium harknessii</i>	398
PARMELEE on <i>Gymnosporangium gacumanni</i> in North America	401
KIRK on fungal growth response to thermal gradients	404
GRAND on beaded endotrophic mycorrhiza	408
PEYRONEL ET AL. on terminology of mycorrhizae	410
FASSI ET AL. on ectomycorrhizae formed by <i>Endogone lactiflua</i>	412
PADHYE on isolation of <i>Trichophyton vanbreuseghemii</i> from Canada	414
FURTADO on basidial cytology of <i>Eridia recisa</i>	415
PORE ET AL. on <i>Aspergillus aleuriospore</i> cell wall ultrastructure	418
KOCH on Monoblepharidales and Blastocladales motile cells	422
TEWARI AND KHARE on <i>Humarina cookeana</i> a <i>Hymenoscyphus</i>	426
HOOD AND DICKINSON on a new <i>Pseudopeziza</i> on <i>Sagina</i>	430
Reviews	434

No. 3. MAY-JUNE

Edwin Butterworth Mains (1890-1968), ALEXANDER H. SMITH	449
Microbial transformation of phenazines by <i>Aspergillus sclerotiorum</i> , JAMES C. HILL AND GEORGE T. JOHNSON	452
Biology of a problematic marine fungus, <i>Dermocystidium</i> sp. II. Nutrition and respiration, S. GOLDSTEIN, M. M. BELSKY, AND R. CHOSAK	468

TABLE OF CONTENTS

v

Pathogenicity of plant and animal isolates of <i>Geotrichum candidum</i> in the turtle, J. B. SINCLAIR AND ZEINEB M. EL-TOBESHY	473
Sporulation of <i>Gibberella zeae</i> . II. The effects of pH on macroconidium production, R. A. CAPPELLINI AND J. L. PETERSON	481
Thalassiomycetes XI. Further studies of the genus <i>Lindra</i> with a description of <i>L. marinera</i> , a new species, S. P. MEYERS	486
Aquatic fungi of Iceland: some filamentous eucarpic, and holocarpic species, KENNETH L. HOWARD AND T. W. JOHNSON, JR.	496
The macroconidium appendage in <i>Microsporum gypseum</i> , ARIF S. EL-ANI ..	511
The developmental morphology of <i>Anthostoma gastrinum</i> , JAMES D. HAYNES ..	518
Hypogeous <i>Cortinarii</i> , HARRY D. THIERS AND ALEXANDER H. SMITH	526
Pathogenic and potentially pathogenic fungi isolated from beach sands and selected soils of Oahu, Hawaii, RICHARD A. KISHIMOTO AND GLADYS E. BAKER	537
Notes on clavarioid fungi. X. New species and type studies in <i>Ramariopsis</i> , with a key to species in North America, RONALD H. PETERSEN	549
Surface characteristics of <i>Aspergillus</i> conidia, W. M. HESS AND DAYNA L. STOCKS	560
<i>Balansia claviceps</i> in artificial culture, B. A. ULLASA	572
<i>Semidelitschia</i> , a new genus of the <i>Sporormiaceae</i> , ROY F. CAIN AND E. ROSENA LUCK-ALLEN	589
Relation of age of two host fungi to development of the mycoparasite <i>Piptopezalis virginiana</i> , WAYNE H. ENGLAND	586
Studies on the sexuality of <i>Nannizzia</i> . II. Morphogenesis of gametangia in <i>N. incurvata</i> , KYUNG JOO KWON-CHUNG	593
Nutritional studies on two <i>Gasteromycetes</i> : <i>Phallus ravenelii</i> and <i>Crucibulum levis</i> , KENNETH L. HOWARD AND HOWARD E. BIGELOW	606
A note on <i>Discina</i> , KENT H. MCKNIGHT	614
Brief Articles	
RAJENDREN on behavior of diploid nucleus in <i>Scopellopsis</i>	631
KOWALSKI on a new coprophilous series of <i>Didymium</i>	635
HENDRIX AND CAMPBELL on heterothallism in <i>Pythium catenulatum</i>	639
NOLAN on nutritional requirements for species of <i>Allomyces</i>	641
COLLINS AND KALNINS on occurrence of ergosterol in <i>Ceratocystis</i>	645
BURDSALL on a new polypore from the eastern United States	647
ELLIS on a mutant of <i>Aspergillus parasiticus</i> producing aflatoxin	651
Reviews	654

No. 4. JULY-AUGUST

Antraquinone pigments from <i>Helminthosporium oryzae</i> , GEORGE T. JOHNSON AND JAMES P. WHITE	661
Notes on tomentelloid fungi. II. <i>Tomentella bresadolae</i> and <i>T. ruttnerii</i> , MICHAEL J. LARSEN	670
A new species of <i>Cintractia</i> on <i>Fuirena</i> (Cyperaceae), S. K. HASIJA AND F. T. WOLF	680
Idaho <i>Discomycetes</i> . II, J. W. PADEN AND E. E. TYLUTKI	683
Spore germination in <i>Chrysomyxa</i> spp., CHARLES J. GOULD AND C. GARDNER SHAW	694

Nuclei of the genus <i>Emericellopsis</i> , B. W. BENSON AND J. H. GROSKLAGS	718
A simple technique for time-lapse photomicrography of microfungi in plate culture, GARRY T. COLE, T. R. NAG RAJ, AND W. BRYCE KENDRICK	726
Norstictic acid as a hymenial constituent of <i>Letharia</i> , WILLIAM LOUIS CULBERSON	731
Morphology of a new <i>Loculoascomycete</i> on <i>Bambusa arundinacea</i> , B. N. MUTHAPPA	737
A taxonomic study of antarctic yeasts, SHOJI GOTO, JUNTA SUGIYAMA, AND HIROSHI IIZUKA	748
Hyphal fusion, nuclear condition, and perfect stages of three species of <i>Rhizoctonia</i> , C. C. TU, D. A. ROBERTS, AND J. W. KIMBROUGH	775
Capillitial formation in <i>Arcyria cinerea</i> , CHARLES W. MIMS	784
Auxotrophic mutants of <i>Cochliobolus carbonum</i> , K. E. PAPA	799
Unidentified growth factors for <i>Polyporus schweinitzii</i> , WILLIAM J. ROBBINS AND ANNETTE HERVEY	808
Brief Articles	
COOKE on the 1965 Illinois Foray	817
SATHE on sexual fusions and nuclear divisions in the pycnia of <i>Stakmania formosana</i> (Uredinales)	823
PAVGI AND SINGH on morphology of pycnia of some <i>Ravenelia</i> species	826
ROSINSKI AND ROBINSON on secotoid divergence in <i>Panus tigrinus</i> : an emended discussion	830
EVANS AND PRUSSO on spore dispersal by birds	832
HO on the behavior of <i>Phytophthora megasperma</i> var. <i>sojae</i> in soil	835
HODGES on a new species of <i>Phyllachora</i> on <i>Persea</i>	838
MILLER AND GILBERTSON on <i>Homobasidiomycetes</i> from northern Canada and Alaska	840
Reviews	845

No. 5. SEPTEMBER-OCTOBER

<i>Poronia oedipus</i> in culture, S. C. JONG AND J. D. ROGERS	853
Two new members of the Mucorales, J. J. ELLIS AND C. W. HESSELTINE	863
Somatic nuclear division in <i>Armillaria mellea</i> , JEROME J. MOTTA	873
A new species of <i>Pleurotus</i> with a coremioid imperfect stage, ORSON K. MILLER, JR.	887
The effect of phenethyl alcohol on the morphology, growth, and metabolism of some Mucorales, HECTOR F. TERENCE AND ROGER STORCK	894
Enzymes of glucose catabolism pathways in <i>Colletotrichum</i> and <i>Gloeosporium</i> , GEORGE LINDEN GREENE	902
Stephanocysts: Unique structures in the Basidiomycetes, HAROLD H. BURDSALL, JR.	915
The autoecious species of <i>Puccinia</i> on North American <i>Eupatoriae</i> , G. B. CUMMINS, M. P. BRITTON, AND J. W. BAXTER	924
Lactic acid fermentation in lower fungi, FRANK H. GLEASON AND JEFFREY S. PRICE	945
Taxonomy of <i>Cylindrocladium floridanum</i> and <i>C. scoparium</i> , R. H. MORRISON AND D. W. FRENCH	957
Production and germination of appressoria in <i>Pythium irregulare</i> , V. P. AGNIHOTRI	967
Cytological studies on the teliospore and teliospore germination in <i>Puccinia lobata</i> , BURTON M. BERKSON AND MICHAEL P. BRITTON	981

TABLE OF CONTENTS

vii

Microscopic observations on fungi associated with cotton boll-rot fibers, MARION E. SIMPSON AND PAUL B. MARSH	987
Brief Articles	
DILLON AND ALEXOPOULOS on clavariaceous sporophores in culture	997
KOSKE AND LEATHERS on sporophores of <i>Clavicornia</i> in culture	999
DICK on <i>Achlya hypogyna</i> —an aggregate, or a polymorphic species?	1002
ESSER on influence of pH on rhythmic growth in <i>Podospora</i>	1008
KOHLMEYER on perithecial hairs with phialide in <i>Spathulospora</i>	1012
Reviews	1016

No. 6. NOVEMBER–DECEMBER

Two new dentigerate species of <i>Phlyctochytrium</i> (Chytridiomycetes), CLYDE J. UMPHLETT AND WILLIAM J. KOCH	1021
<i>Curvularia coicis</i> and the <i>Nodulosa</i> group of <i>Bipolaris</i> , E. S. LUTTRELL	1031
Enzymatic activities during basidiocarp development of <i>Pleurotus ostreatus</i> , CHESTER J. MICHALSKI AND E. S. BENEKE	1041
The genus <i>Pleurothecium</i> , R. D. GOOS	1048
The basidial stage of <i>Phymatotrichum omnivorum</i> , JOHN F. BANIECKI AND H. E. BLOSS	1054
Morphology of <i>Chaetomium funiculum</i> , JOHN C. COOKE	1060
<i>Strasseriosis</i> gen. nov., based on <i>Phellostroma tsugae</i> Kobayashi, B. C. SUTTON AND T. KOBAYASHI	1066
Synonymy of <i>Sphacelotheca ischaemicola</i> and syndrome on <i>Ischaemum</i> species, Y. H. ONG AND G. LIM	1072
A new species of <i>Neurospora</i> from soil of West Pakistan, LAFAYETTE FRED- ERICK, FRANCIS A. UECKER, AND CHESTER R. BENJAMIN	1077
The life history and cytology of <i>Rhytisma punctatum</i> on bigleaf maple, J. Y. WOO AND A. D. PARTRIDGE	1085
The influence of carbon and nitrogen nutrition on growth and sterol-induced sexuality of <i>Pythium</i> sp. PRL 2142, J. J. CHILD, G. DEFAGO, AND R. H. HASKINS	1096
Mycocology on serpentine soil, JOHN L. MAAS AND DANIEL E. STUETTE	1106
<i>Veligaster</i> , a new genus of the Sclerodermataceae, GASTON GUZMÁN	1117
Host-parasite relations in spot anthracnose of <i>Desmodium</i> , D. L. MASON AND M. P. BACKUS	1124
Feasibility of characterizing spore color in <i>Aspergilli</i> by reflectance spectro- photometry, MARTIN M. KULIK AND ROBERT M. JOHNSON	1142
A hyperparasitic <i>Blyttomyces</i> , IRINEO J. DOGMA, JR. AND FREDERICK K. SPARROW	1149
Brief Articles	
RAJENDREN on <i>Muribasidiaceae</i> , a new family of <i>Humaniomycetes</i>	1159
SAVILLE on the meaning of "pleomorphism"	1161
PADHYE on thermotolerance of <i>Chrysosporium tropicum</i>	1162
SHIELDS on microflora of eastern Canadian wood chip piles	1165
HOUSTON et al. on bioautographs for detection of thiamine	1168
FERGUS on production of amylase by some thermophilic fungi	1171
PADHYE on behavior of <i>Keratinomyces</i> mated with <i>Arthroderma</i>	1175
Reviews	1178
Notices	1184
Mycologia—Financial Report	1185
Index to Volume 61	1186